

Chapter 2.4

Intelligent MAS in System Engineering and Robotics

G. Nicolás Marichal

University of La Laguna, Spain

Evelio J. González

University of La Laguna, Spain

INTRODUCTION

The concept of agent has been successfully used in a wide range of applications such as Robotics, e-commerce, agent-assisted user training, military transport or health-care. The origin of this concept can be located in 1977, when Carl Hewitt proposed the idea of an interactive object called *actor*. This actor was defined as a computational agent, which has a mail address and a behaviour (Hewitt, 1977). Actors receive messages from other actors and carry out their tasks in a concurrent way.

It is difficult that a single agent could be sufficient to carry out a relatively complex task. The usual approach consists of a society of agents - called Multiagent Systems (MAS) -, which com-

municate and collaborate among them and they are coordinated when pursuing a goal.

The purpose of this chapter is to analyze the aspects related to the application of MAS to System Engineering and Robotics, focusing on those approaches that combine MAS with other Artificial Intelligence (AI) techniques.

BACKGROUND

There is not an academic definition accepted by every researcher about the term agent. In fact, agent researchers have offered a variety of definitions explicating his or her particular use of the word. An extensive list of these definitions can be found in (Franklin and Graesser, 1996). It does not fall

DOI: 10.4018/978-1-60960-818-7.ch2.4

in the scope of this chapter to reproduce that list. However, we will include some of them, in order to illustrate how heterogeneous these definitions are.

“Autonomous agents are computational systems that inhabit some complex dynamic environment, sense and act autonomously in this environment, and by doing so realize a set of goals or tasks for which they are designed.” (Maes, 1995, p. 108)

“Autonomous agents are systems capable of autonomous, purposeful action in the real world.” (Brustoloni, 1991, p. 265)

“An agent is anything that can be viewed as perceiving its environment through sensors and acting upon that environment through effectors.” (Russell and Norvig, 1995, p. 31)

Despite the existing plethora of definitions, agents are often characterized by only describing their features (long-live, autonomy, reactivity, proactivity, collaboration, ability to perform in a dynamic and unpredictable environment, etc.). With these characteristics, users can delegate to agents tasks designed to be carried out without human intervention, for instance, as personal assistants that learn from its user.

In most of applications, a standalone agent is not sufficient for carrying out the desired task: agents are forced to interact with other agents, forming a MAS. Due to their capacity of flexible autonomous action, MAS can treat with open—or at least highly dynamic or uncertain- environments. On the other hand, MAS can effectively manage situations where distributed systems are needed: the problem being solved is itself distributed, the data are geographically distributed, systems with many components and huge content, systems with future extensions, etc. A researcher could include a single agent to implement all the tasks. Nevertheless, this type of macroagent represents a bottleneck for the system speed, reliability and management.

It is clear that the design of a MAS is more complex than a single agent. Apart from the code for the treatment of the task-problem, a developer needs to implement those aspects related to communication, negotiation among the agents and its organization in the system. Nevertheless, it has been shown that MAS offer more than they cost (Cockburn, 1996) (Gonzalez, 2006) (Gonzalez, 2006b) (Gyurjyan, 2003) (Seilonen 2005).

MAS, AI AND SYSTEM ENGINEERING

An important topic in System Engineering is that of process control problem. We can define it as the one of manipulating the input variables of a dynamic system in an attempt to influence over the output variables in a desired fashion, for example, to achieve certain values or certain rates (Jacquot, 1981). In this context, as other Engineering disciplines, we can find a lot of relevant formalisms and standards, whose descriptions are out of the scope of this chapter. An interested reader can get an introductory presentation of these aspects in (Jacquot, 1981).

Despite their advantages, there are few approaches to the application of MAS technology to process automation (much less than applications to other fields such as manufacturing industry). Some reasons for this lack of application can be found in (Seilonen, 2005):

- Process automation requires run-time specifications that are difficult to reach by the current agent technology.
- The parameters in the automation process design are usually interconnected in a strict way, thus it is highly difficult to decompose the task into agent behaviors.
- Lack of parallelism to be modeled through agents.

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/intelligent-mas-system-engineering-robotics/56139

Related Content

Quotient Space-Based Boundary Condition for Particle Swarm Optimization Algorithm

Yuhong Chi, Fuchun Sun, Langfan Jiang, Chunyang Yuand Chunli Chen (2011). *International Journal of Software Science and Computational Intelligence* (pp. 78-89).

www.irma-international.org/article/quotient-space-based-boundary-condition/53164

Simulating Timing Behaviors for Cyber-Physical Systems Using Modelica

Hao Zhou, Mengyao Zhao, Linbo Wuand Xiaohong Chen (2019). *International Journal of Software Science and Computational Intelligence* (pp. 44-67).

www.irma-international.org/article/simulating-timing-behaviors-for-cyber-physical-systems-using-modelica/236151

Machine Learning as a Commonsense Reasoning Process

Xenia Naidenova (2012). *Machine Learning: Concepts, Methodologies, Tools and Applications* (pp. 113-119).

www.irma-international.org/chapter/machine-learning-commonsense-reasoning-process/56136

Adaptive Computation Paradigm in Knowledge Representation: Traditional and Emerging Applications

Marina L. Gavrilova (2012). *Software and Intelligent Sciences: New Transdisciplinary Findings* (pp. 142-156).

www.irma-international.org/chapter/adaptive-computation-paradigm-knowledge-representation/65127

Combining Ontology with Intelligent Agent to Provide Negotiation Service

Qiumei Pu, Yongcun Cao, Xiuqin Pan, Siyao Fuand Zengguang Hou (2010). *International Journal of Software Science and Computational Intelligence* (pp. 52-61).

www.irma-international.org/article/combining-ontology-intelligent-agent-provide/46146