

Chapter 2.6

Rule Engines and Agent-Based Systems

Agostino Poggi
Università di Parma, Italy

Michele Tomaiuolo
Università di Parma, Italy

INTRODUCTION

Expert systems are successfully applied to a number of domains. Often built on generic *rule-based systems*, they can also exploit optimized algorithms.

On the other side, being based on loosely coupled components and peer to peer infrastructures for asynchronous messaging, *multi-agent systems* allow *code mobility*, adaptability, easy of deployment and reconfiguration, thus fitting distributed and dynamic environments. Also, they have good support for domain specific *ontologies*, an important feature when modelling human experts' knowledge.

The possibility of obtaining the best features of both technologies is concretely demonstrated by the integration of *JBoss Rules*, a rule engine efficiently implementing the *Rete-OO algorithm*, into *JADE*, a *FIPA-compliant multi-agent system*. (Figure 1)

BACKGROUND

Rule Engines

The advantages of *rule-based systems* over procedural programming environments are well recognized and widely exploited, above all in the context of business applications. Working with rules helps keeping the logic separated from

DOI: 10.4018/978-1-60960-818-7.ch2.6

Figure 1. Basic example from the JBoss Rules handbook

```

package org.drools.examples

import org.drools.examples.HelloWorldExample.Message;

rule "Hello World"
when
    m : Message( status == Message.HELLO, message : message )
then
    System.out.println( message );
    m.setMessage( "Goodbye cruel world" );
    m.setStatus( Message.GOODBYE );
    update( m );
end

rule "GoodBye"
no-loop true
when
    m : Message( status == Message.GOODBYE, message : message )
then
    System.out.println( message );
end

```

the application code: it can be modified by non-developers and, being centralized in one point, it can be analyzed and validated. *Rule engines* are often well optimized, being able to efficiently reduce the number of rules to match against the updated knowledge base.

Rule-based systems can also be augmented with ideas and techniques developed in other research fields, leading for example to fuzzy rule-based systems, which exploit fuzzy logic to deal with imprecision and uncertainty about the knowledge base. Moreover, sometimes these systems are coupled with genetic algorithms and evolutionary programming to generate complex classifiers.

One of the most notable application of rule-based systems are *expert systems*, where the rule set is a representation of an expert's knowledge. In such systems, the AI (Artificial Intelligence) is supposed to perform in a similar manner to the expert, when exposed to the same data.

Among the different mechanisms to implement a rule-engine, *Rete algorithm* (Forgy, 1982) has gained more and more popularity, mainly thanks to the high degree of optimization that can be obtained. At NASA Johnson Space Center, *Rete algorithm* was implemented in a whole genera-

tion of rule engines. OPS5 was soon replaced by its descendant, ART, and in 1984 by the more famous CLIPS.

Nowadays, one of the most widespread engines implementing *Rete* is *Jess* (Friedman-Hill, 2000), at first developed as a Java port of CLIPS at Sandia National Laboratories in late 1990s. *Jess* has also been widely adopted by the agent community to realize rule-based agent systems (Cardoso, 2007).

A different yet promising rule-engine is *JBoss Rules* (Proctor, Neale, Frandsen, Griffith & Tirelli, 2007), formerly *Drools*. It is a quite new, but already well known, freeware tool implementing so-called *Rete-OO algorithm*.

Its open-source availability is a clear advantage over *Jess*, but an even greater advantage is due to the implementation of a particular adaptation of the *Rete algorithm* for the object-oriented world, rather than a literal one. This way, the burden of integrating the rule-engine and application rules with existing external objects is greatly reduced. In fact, *JBoss Rules* uses plain Java objects to represent rules and facts, which can be modified through their public methods and properties. Rules can be specified through an appropriate syntax, or through xml structures, and their conditions

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/rule-engines-agent-based-systems/56141

Related Content

Optimization of the Wake-Up Scheduling Using a Hybrid of Memetic and Tabu Search Algorithms for 3D-Wireless Sensor Networks

Vrajesh Kumar Chawra and Govind P. Gupta (2022). *International Journal of Software Science and Computational Intelligence* (pp. 1-18).

www.irma-international.org/article/optimization-of-the-wake-up-scheduling-using-a-hybrid-of-memetic-and-tabu-search-algorithms-for-3d-wireless-sensor-networks/300359

Safe-Platoon: A Formal Model for Safety Evaluation

Mohamed Garoui (2019). *International Journal of Software Science and Computational Intelligence* (pp. 26-37).

www.irma-international.org/article/safe-platoon/233521

How Games Improve Language in People With Language Dysfunctions

Robert Wahlstedt (2017). *Ubiquitous Machine Learning and Its Applications* (pp. 195-216).

www.irma-international.org/chapter/how-games-improve-language-in-people-with-language-dysfunctions/179095

Artificial Intelligence and Rubble-Mound Breakwater Stability

Gregorio Iglesias Rodriguez, Alberte Castro Ponte, Rodrigo Carballo Sanchez and Miguel Ángel Losada Rodriguez (2012). *Machine Learning: Concepts, Methodologies, Tools and Applications* (pp. 1499-1506).

www.irma-international.org/chapter/artificial-intelligence-rubble-mound-breakwater/56209

A Fuzzy Decision-Making Model for the Key Performance Indicators of Hospital Service Quality Evaluation

Melih Yucesan, Suleyman Mete, Muhammet Guland Erkan Celik (2020). *Computational Intelligence and Soft Computing Applications in Healthcare Management Science* (pp. 42-62).

www.irma-international.org/chapter/a-fuzzy-decision-making-model-for-the-key-performance-indicators-of-hospital-service-quality-evaluation/251967