

Chapter 9

Service Selection with Uncertain Context Information

Yves Vanrompay

Katholieke Universiteit Leuven, Belgium

Manuele Kirsch-Pinheiro

Université Paris 1 Panthéon-Sorbonne, France

Yolande Berbers

Katholieke Universiteit Leuven, Belgium

ABSTRACT

The current evolution of Service-Oriented Computing in ubiquitous systems is leading to the development of context-aware services. Context-aware services are services of which the description is enriched with context information related to non-functional requirements, describing the service execution environment or its adaptation capabilities. This information is often used for discovery and adaptation purposes. However, in real-life systems, context information is naturally dynamic, uncertain, and incomplete, which represents an important issue when comparing the service description with user requirements. Uncertainty of context information may lead to an inexact match between provided and required service capabilities, and consequently to the non-selection of services. In this chapter, we focus on how to handle uncertain and incomplete context information for service selection. We consider this issue by presenting a service ranking and selection algorithm, inspired by graph-based matching algorithms. This graph-based service selection algorithm compares contextual service descriptions using similarity measures that allow inexact matching. The service description and non-functional requirements are compared using two kinds of similarity measures: local measures, which compare individually required and provided properties, and global measures, which take into account the context description as a whole.

DOI: 10.4018/978-1-61350-432-1.ch009

INTRODUCTION

The term Ubiquitous Computing, introduced by Weiser (Weiser, 1991), refers to the seamless integration of devices into users' everyday life (Baldauf, Dustdar, & Rosenberg, 2007). This term represents an emerging trend towards environments composed by numerous computing devices that are frequently mobile or embedded and that are connected to a network infrastructure composed of a wired core and wireless edges (Moran & Dourish, 2001). In pervasive scenarios foreseen by Ubiquitous Computing, context awareness plays a central role. Context can be defined as *any information that can be used to characterize the situation of an entity* (a person, place, or object considered as relevant to the interaction between a user and an application) (Dey, 2001). Context-aware systems are able to adapt their operations to the current context, aiming at increasing usability and effectiveness by taking environmental context into account (Baldauf, Dustdar, & Rosenberg, 2007).

The dynamic nature of pervasive environments encourages the adoption of a Service Oriented Architecture (SOA). Service-Oriented Computing (SOC) is the computing paradigm that utilizes services as fundamental elements for developing applications (Papazoglou & Georgakopoulos, 2003). The key feature of SOA is that services are independent entities, with well-defined interfaces, that can be invoked in a standard way, without requiring the client to have knowledge about how the service actually performs its tasks (Issarny, Caporuscio, & Georgantas, 2007). Such loose coupling fits the requirements of highly dynamic pervasive environments, in which entities are often mobile, entering and leaving the environment at any moment.

The adoption of SOA in pervasive environments is leading to the development of "context-aware" services. Context-awareness becomes a key feature necessary to provide adaptable services, for instance when selecting the best-suited service according to the relevant context

information or when adapting the service during its execution according to context changes (Eikerling, Mazzoleni, Plaza, Yankelevich, & Wallet, 2007). As pointed out by Maamar *et al.* (2006), multiple aspects related to the users (level of expertise, location, etc.) and to the computing resources (on fixed and mobile devices), among others aspects, can be considered in the development of context-aware services. Thus, *context-aware services* can be defined as services of which the description is associated with contextual (notably non-functional) properties, *i.e.*, services whose description is enriched with context information indicating the situations to which the service is adapted to.

According to Suraci *et al.* (2007), in order to provide context-aware services, one has to consider *context inputs and outputs, besides functional ones*. Several authors, such as (Suraci, Mignanti, & Aiuto, 2007), (Toninelli, Corradi, & Montanari, 2008) and (Mokhtar, Kaul, Georgantas, & Issarny, 2006), propose to increase the service description with context information. This information is normally used for adaptation purposes: for indicating service adaptation capabilities, for adapting service composition, execution and output. This context information needs to be compared to the real user's or execution context before starting to use the service.

However, in ubiquitous environments, context information is naturally dynamic and incomplete. Explicitly representing and taking into account the quality of the provided context information is key in being able to select the right service in the right circumstances. Dynamic context changes and incomplete context information may prevent perfect matches between required and provided properties, which may lead to an inappropriate service ranking or even to the non-selection of one (or all) service(s). Service selection mechanisms have to cope with these issues: if some needed context information is missing, service selection still has to proceed and choose a corresponding service that best matches the current situation,

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/service-selection-uncertain-context-information/60887

Related Content

Key Challenges for Delivering Web-Based IT Support Services: The Provider Perspective

Vanessa Cooper, Sharman Lichtenstein and Ross Smith (2011). *Developing Technologies in E-Services, Self-Services, and Mobile Communication: New Concepts* (pp. 30-50).

www.irma-international.org/chapter/key-challenges-delivering-web-based/54956

Enabling Smart and Secure Industry 5.0 Through AI, IIoT, Blockchain, and Edge Computing

Wasswa Shafik (2026). *Semantic Annotation of Edge/Fog Services With Blockchain Integration* (pp. 361-390).

www.irma-international.org/chapter/enabling-smart-and-secure-industry-50-through-ai-iiot-blockchain-and-edge-computing/398184

Fast Data Processing for Large-Scale SOA and Event-Based Systems

Marcel Tilly and Stephan Reiff-Marganiec (2015). *International Journal of Systems and Service-Oriented Engineering* (pp. 54-77).

www.irma-international.org/article/fast-data-processing-for-large-scale-soa-and-event-based-systems/137070

A Secure and Optimized Proximity Mobile Payment Framework with Formal Verification

Shaik Shakeel Ahamad, V.N. Sastry and Siba K. Udgata (2014). *International Journal of E-Services and Mobile Applications* (pp. 66-92).

www.irma-international.org/article/a-secure-and-optimized-proximity-mobile-payment-framework-with-formal-verification/111066

Automotive RADARs: From Antennas to Applications

Sunil Javali and Ashish Sheikh (2026). *Emerging Technologies Shaping New Communication and Electronic Infrastructures* (pp. 1-40).

www.irma-international.org/chapter/automotive-radars/406164