

Chapter 3.2

Overlay–Based Middleware for the Pervasive Grid

Paul Grace

Lancaster University, UK

Danny Hughes

Lancaster University, UK

Geoff Coulson

Lancaster University, UK

Gordon S. Blair

Lancaster University, UK

Barry Porter

Lancaster University, UK

Francois Taiani

Lancaster University, UK

ABSTRACT

Grid computing is becoming increasingly pervasive; sensor networks and mobile devices are now connected with traditional Grid infrastructure to form geographically diverse complex systems. Applications of this type can be classified as the Pervasive Grid. In this chapter we examine how traditional Grid technologies and middleware are inherently unsuited to address the challenges of extreme heterogeneity and fluctuating environmental conditions in these systems. We present Gridkit, a configurable and reconfigurable reflective middleware that leverages overlay networks and dynamic software in response to the requirements of the Pervasive Grid. We also illustrate how Gridkit has been used to deploy a flood monitoring application at a river in the north west of England; this demonstrates both the flexibility Gridkit provides, and how dynamic adaptation optimises performance and resource consumption.

INTRODUCTION

The Grid promises computing as a utility, where distributed computational resources are brought together and can be openly accessed by many via a standardized infra-structure—Grid middleware. Originally concerned with the computational power of networked PCs and cluster computers

this has been extended to include pervasively deployed resources embedded within environments. The Pervasive Grid (Davies et al., 2004) merges the vision of ubiquitous computing with traditional Grid computing. The following present some of the many examples of this Pervasive Grid in action:

- **Environmental monitoring and control.** In order to predict natural phenomena such

DOI: 10.4018/978-1-4666-0879-5.ch3.2

as floods, hurricanes, and volcanic eruptions, scientists collect data and feed this into computationally intensive prediction models. These systems involve networked sensor devices deployed “in the field” that monitor the environment, collect data and then distribute this, via communication networks, to models that may be running local to the monitored site, or running off-site (typically a traditional high-performance Grid).

- **Transport.** Next generation transport systems are embracing pervasive computing. Traffic monitoring systems consisting of sensor devices at the roadside, along with embedded devices within cars collect real-time data that is input to complex traffic models to help improve traffic flow. Similarly the ability for cars to communicate with one another using vehicular ad-hoc networks (VANETS) have been used to improve road safety, by warning drivers or autonomously taking evasive action.
- **Healthcare.** Remote patient monitoring devices e.g. those that are embedded in the home, or mobile devices carried by the patient monitor their current state of health and are integrated into large-scale healthcare systems to improve standards of patient care. This can include detecting potential problems and informing a suitable healthcare professional.

From these application types it is clear that there is an increasing trend towards *diversity* in Grid applications. Here, two key characteristics of the Pervasive Grid that must be addressed by future middleware are:

1. **Extreme heterogeneity of Grid technologies.** At the *device* level we envisage a spectrum of devices ranging from large cluster computers through to mobile devices, embedded devices and wireless sensors. At

the *network* level, the range of network types in use has grown to include: high-speed local networks; lower-speed wide-area networks; infrastructure-based wireless networks; ad-hoc wireless networks and specialised sensor networks. At the *middleware* level, the range of middleware-level communications services in use is expanding from basic point-to-point interactions (e.g. SOAP messaging and RPC), to “interaction paradigms” such as: reliable and unreliable multicast; workflow; media streaming; publish-subscribe; tuple-space/generative communication; and peer-to-peer based resource location or file sharing.

2. **Fluctuating environmental conditions.** Wireless sensor networks deployed on site, mobile computing devices, and ad-hoc networking are all subject to fluctuating conditions in the environment e.g. network quality of service (QoS), resource availability (e.g. battery power), changing location, devices in range, etc.

Dealing with these characteristics is a fundamental challenge for future Grid middleware, and one that is demonstrably not addressed by existing platforms. We argue that Grid middleware must be flexible and configurable to meet a wide range of application requirements across heterogeneous systems; and importantly should be able to dynamically adapt its behaviour to ensure that it continues to provide the required level of service in the face of changing operating conditions.

In this chapter, we describe Gridkit (Grace et al., 2008) a component-based, *reflective middleware* for the Pervasive Grid. The use of software components as building blocks allows the middleware to be flexibly deployed on heterogeneous devices. Subsequently, reflection is used as a principled approach to adapt these components at run-time. A novel feature of Gridkit is that it leverages *overlay networks* to tackle the problems of network heterogeneity. Overlay networks are

21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/overlay-based-middleware-pervasive-grid/64503

Related Content

SAMEVED: A System Architecture for Managing and Establishing Virtual Elastic Datacenters
Shao-Jui Chen, Jing-Ying Huang, Cheng-Ta Huang and Wei-Jen Wang (2013). *International Journal of Grid and High Performance Computing* (pp. 27-42).

www.irma-international.org/article/sameved/78894

A Viability Analysis of an Economical Private Cloud Storage Solution Powered by Raspberry Pi in the NSA Era: A Survey and Analysis of Cost and Security

K. G. Srinivasa, Ganesh Hegde, G M. Sideeshand Srinidhi Hiriyannaiah (2016). *Emerging Research Surrounding Power Consumption and Performance Issues in Utility Computing* (pp. 220-232).

www.irma-international.org/chapter/a-viability-analysis-of-an-economical-private-cloud-storage-solution-powered-by-raspberry-pi-in-the-nsa-era/139845

Dynamic Network Optimization for Effective Qos Support in Large Grid Infrastructures

Francesco Palmieri and Ugo Fiore (2009). *Quantitative Quality of Service for Grid Computing: Applications for Heterogeneity, Large-Scale Distribution, and Dynamic Environments* (pp. 28-45).

www.irma-international.org/chapter/dynamic-network-optimization-effective-qos/28269

Innovative Knowledge Automation Framework in DM and Collaborative Edge Computing Social IoT Systems

Qiansha Zhang and Gang Li (2022). *International Journal of Distributed Systems and Technologies* (pp. 1-23).

www.irma-international.org/article/innovative-knowledge-automation-framework-in-dm-and-collaborative-edge-computing-social-iot-systems/307953

A Grid-Aware Emergency Response Model (G-AERM) for Disaster Management

Eleana Asimakopoulou, Chimay J. Anumba and Dino Bouchlaghem (2012). *Technology Integration Advancements in Distributed Systems and Computing* (pp. 252-267).

www.irma-international.org/chapter/grid-aware-emergency-response-model/64452