



This chapter appears in the book, *Clinical Knowledge Management: Opportunities and Challenges*,  
by Rajeev K. Bali. © 2005, Idea Group Inc.

## Chapter XV

# Towards Knowledge Intensive Inter-Organizational Systems in Healthcare

Teemu Paavola, LifeIT Plc, Finland and  
Helsinki University of Technology, Finland

Pekka Turunen, University of Kuopio, Finland

Jari Vuori, University of Kuopio, Finland

## Abstract

---

*The aim of this chapter is to share recent findings and understanding on how information systems can be better adopted to support new ways of work and improve productivity in public funded healthcare. The limits of transferring explicit and tacit knowledge are discussed and moreover, the chapter elaborates barriers to the widespread use of knowledge management tools among clinicians. The impacts of an inter-organizational system used for remote consultation between secondary and primary care providers are examined. Furthermore, the authors suggest that issues related to clinical knowledge management such as the varying information and knowledge processing needs of clinicians from various medical expertise domains should be examined carefully when developing new clinical information systems.*

## Introduction

---

It is reasonable to expect information technology to bring benefits to healthcare organizations just as it does to any other business. But recent studies demonstrate that the introduction of information technology does not in itself improve employee effectiveness in healthcare (Littlejohns, Wyatt, & Garvican, 2003). Moreover, it has proved particularly difficult to evaluate information systems in healthcare. This may involve the "evaluation paradox": we refuse to use a new technology until an evaluation study of its use has proved it useful. Particularly true in the healthcare sector, this cautious approach can be seen as a virtue, considering that hospitals fortunately were never taken in by all the information technology hype; but on the other hand the healthcare sector is regrettably slow in adopting even the best new practices. Although successful adoption of inter-organizational systems in healthcare still lacks a substantial body of research we argue that a key issue to be addressed may well be the natural logic of information and knowledge processing in various medical areas.

The term "telemedicine" covers the application of information technology to medical care chains. Conventional operations can always be pushed up a notch with state-of-the-art technology. In many cases it would also be more efficient to reorganize the operations altogether. For example, an e-mail application is at its most useful when its users are considered as active users of information rather than passive recipients. An organization can learn new ways of profiting from this new communications channel, which lies at the medium level according to the information richness theory introduced by Daft and Lengel (1986). A good example may be found in the healthcare sector, where new technology has managed to loosen the shackles of conventional thinking.

The electronic consultation model in medical care emerged in the early 1990s, beginning with an experiment at the internal medicine department of a hospital in southern Finland, where referrals were returned with care instructions in cases where lab results coupled with the information on the referral were sufficient for an accurate diagnosis. If the specialist receiving the referral considered that the case had not been examined sufficiently, the referral would be returned with instructions as to further tests or examinations. The new model evolved naturally from this practice. The information entered on a referral is often sufficiently comprehensive to enable remote consultation, and under the new model about half the patients referred to the hospital could be treated at their local health center on the basis of instructions provided by specialists through an information network.

There are many phenomena at play in shaping the practices of the healthcare sector. Identifying and allowing for these phenomena may be the key to successful telemedicine projects, indeed even more important than the technology itself. In the case of the new model described above, the innovation was supported by studies in the field: over half of all referrals in Finland and, for example, in Britain contain enough information for making an accurate diagnosis. So why are these patients being sent to hospital if there is already enough information for a diagnosis to be made at the health center? Convention, insecurity, financial incentives and similar factors have been cited as possible reasons.

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/towards-knowledge-intensive-inter-organizational/6588](http://www.igi-global.com/chapter/towards-knowledge-intensive-inter-organizational/6588)

## Related Content

---

### Optimization and Prioritization of Cardiac Messages

Piotr Augustyniak and Ryszard Tadeusiewicz (2009). *Ubiquitous Cardiology: Emerging Wireless Telemedical Applications* (pp. 285-295).

[www.irma-international.org/chapter/optimization-prioritization-cardiac-messages/30494](http://www.irma-international.org/chapter/optimization-prioritization-cardiac-messages/30494)

### Current Molecular Technologies for Assessing the Amount of Microbial Pathogens in Oral Plaque Biofilms

Hans-Peter Horz and Georg Conrads (2010). *Informatics in Oral Medicine: Advanced Techniques in Clinical and Diagnostic Technologies* (pp. 64-82).

[www.irma-international.org/chapter/current-molecular-technologies-assessing-amount/40439](http://www.irma-international.org/chapter/current-molecular-technologies-assessing-amount/40439)

### Healthcare Information Systems Research: Who is the Real User?

Alexander J. McLeod and Jan G. Clark (2011). *New Technologies for Advancing Healthcare and Clinical Practices* (pp. 192-210).

[www.irma-international.org/chapter/healthcare-information-systems-research/55145](http://www.irma-international.org/chapter/healthcare-information-systems-research/55145)

### Social Cognitive Ontology and User Driven Healthcare

Rakesh Biswas, Carmel M. Martin, Joachim Sturmberg, Kamalika Mukherji, Edwin Wen Huo Lee and Shashikiran Umakanth (2011). *Clinical Technologies: Concepts, Methodologies, Tools and Applications* (pp. 1996-2012).

[www.irma-international.org/chapter/social-cognitive-ontology-user-driven/53693](http://www.irma-international.org/chapter/social-cognitive-ontology-user-driven/53693)

### Machine Learning in Morphological Segmentation

O. Lezoray, G. Lebrun, C. Meurie, C. Charrier, A. Elmotataz and M. Lecluse (2009). *Handbook of Research on Advanced Techniques in Diagnostic Imaging and Biomedical Applications* (pp. 320-334).

[www.irma-international.org/chapter/machine-learning-morphological-segmentation/19604](http://www.irma-international.org/chapter/machine-learning-morphological-segmentation/19604)