

IDEA GROUP PUBLISHING 701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com

This paper appears in the publication, *Collaborative Geographic Information Systems* edited by Shivanand Balram and Suzana Dragicevic © 2006, Idea Group Inc.

Chapter XVI

Bridging the Gap: Connecting Internet-Based Spatial Decision Support Systems to the Field-Based Personnel with Real Time Wireless Mobile GIS Applications

Ming-Hsiang Tsou, San Diego State University, USA

Abstract

Internet GIS provides a collaborative communication environment for sharing data, information, and knowledge. Mobile GIS can add both geospatial information and global positional systems (GPS) coordinates from remotely located field-based personnel to spatial decision support systems (SDSS). By adopting broadband wireless telecommunication technology for connecting Internet GIS and mobile GIS devices, decision makers can gather near real-time information from field personnel and, equally quickly, distribute updated information back to the field. This chapter introduces a collaborative GIS prototype that demonstrates an interoperable framework for combining Web-based GIS technologies and wireless mobile GIS applications. The integrated framework provides real-

Copyright © 2006, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

time or near real-time GIS data update functions (such as adding new spatially located map features or GPS tracking locations) between mobile GIS devices and Internet GIS servers. Although these real-time GIS functions can be very important during time-urgent emergencies, they can be equally beneficial and highly cost effective during routine field activities.

Introduction

Internet GIS (Peng & Tsou, 2003) can facilitate the implementation of collaborative GIS in the form of a Web-based spatial decision support system (SDSS) having remote communication channels. Currently, the greatest challenge for Web-based spatial decision support systems is the creation of a real-time or near real-time GIS-based communication channels between senior decision makers and multiple in-field personnel (such as first-responders). The objective of this book chapter is to introduce an integrated collaborative GIS architecture that combines Web-based GIS and wireless mobile GIS with a spatial decision support system. By adopting wireless telecommunication technology and advanced Internet GIS tools, decision makers can benefit from real-time information obtained from in-field personnel. In turn, in-field personnel benefit from more timely updated information from decision makers. The two-way communication mechanism between in-field personnel (in situ agents) and decision makers can facilitate a better and timelier decision-making process. Such an integrated framework combined with a client-side wireless mobile GIS application and a server-side Web-based decision support system will help optimize field-based management tasks, whether they are time urgent such as emergency dispatch, or a more mundane utility service call.

Both mobile GIS and Internet GIS technologies have been available for almost 10 years. However, very few collaborative GIS projects or spatial decision support systems have adopted both technologies for collaborative work. A principle problem has been the lack of comprehensive communication framework to combine Internet GIS and mobile GIS. Recent dramatic progress in broadband wireless technology has opened a new direction for connecting Internet GIS and mobile GIS with collaborative GIS architectures. Moreover, the GIS community is working on the establishment of interoperability standards, network-based GIS communication protocols, and XML-based geospatial data structure. These efforts from the GIS and telecommunication communities are beginning to facilitate the seamless integration of mobile GIS and Internet GIS.

Figure 1 displays an integrated spatial decision support system prototype that demonstrates an interoperable framework for combining Web-based GIS tech-

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/bridging-gap-connecting-internet-</u> based/6664

Related Content

Barriers to Achieving the Benefits of BIM

Heikki Halttula, Harri Haapasaloand Maila Herva (2015). *International Journal of 3-D Information Modeling (pp. 16-33).* www.irma-international.org/article/barriers-to-achieving-the-benefits-of-bim/154018

Geospatial and Temporal Semantic Analytics

Matthew Perry, Amit Sheth, Ismailcem Budak Arpinarand Farshad Hakimpour (2009). Handbook of Research on Geoinformatics (pp. 161-170). www.irma-international.org/chapter/geospatial-temporal-semantic-analytics/20400

Quality of Urban Life Index From Location-Based Social Networks Data: A Case Study in Belo Horizonte, Brazil

Rodrigo Smarzaro, Tiago França Melo de Limaand Clodoveu Augusto Davis Jr. (2017). *Volunteered Geographic Information and the Future of Geospatial Data (pp. 185-207).*

www.irma-international.org/chapter/quality-of-urban-life-index-from-location-based-socialnetworks-data/178805

Acoustics Oribotics: The Sonic impact of Heterogeneous Parigamic shapes

Mostafa Refat A. Ismailand Hazem Eldaly (2014). International Journal of 3-D Information Modeling (pp. 54-68).

www.irma-international.org/article/acoustics-oribotics/120065

Spatial Adaptive Large Neighborhood Search for Wood Supply Chain Optimization

Johannes Scholz (2015). International Journal of Applied Geospatial Research (pp. 27-43).

www.irma-international.org/article/spatial-adaptive-large-neighborhood-search-for-wood-supplychain-optimization/129807