

Chapter 1

Integrated Model of Inductive– Deductive Inference Based on Finite Predicates and Implicative Regularities

Arkadij Zakrevskij
National Academy of Science, Belarus

ABSTRACT

The theory of Boolean functions, especially in respect to representing these functions in the disjunctive or conjunctive normal forms, is extended in this chapter onto the case of finite predicates. Finite predicates are decomposed by that into some binary units, which will correspond to components of Boolean vectors and matrices and are represented as combinations of these units. Further, the main concepts used for solving pattern recognition problems are defined, namely world model, data, and knowledge. The data presenting information about the existence of some objects with definite combinations of properties is considered, as well as the knowledge presenting information about the existence of regular relationships between attributes. These relationships prohibit some combinations of properties. In this way, the knowledge gives the information about the non-existence of objects with some definite (prohibited) combinations of attribute values. A special form of regularity representation, called implicative regularities, is introduced. Any implicative regularity generates an empty interval in the Boolean space of object descriptions, which do not contradict the data. The problem of plausibility evaluation of induced implicative regularities should be solved by that. The pattern recognition problem is solved by two steps. First, regularities are extracted from the database (inductive inference); second, the obtained knowledge is used for the object recognition (deductive inference).

INTRODUCTION

One of the most important problems of artificial intelligence is the problem of pattern recognition (Bongard, 1970; Hunt, 1975). To solve it, various formal methods were applied, usually based on

the theory of Boolean functions (Triantaphyllou, 1994; Zakrevskij, 1988). However, they become insufficient when dealing with objects described in terms of multi-valued attributes, so other means should be involved in this case, finite predicates for example (Zakrevskij, 1993).

DOI: 10.4018/978-1-4666-1900-5.ch001

The finite predicates are two-valued functions, which arguments are variables with restricted number of values. Denote these variables by x_1, x_2, \dots, x_n . Let them receive values accordingly from finite sets X_1, X_2, \dots, X_n , which direct product $X_1 \times X_2 \times \dots \times X_n$ generates a space M . The mapping $M \rightarrow \{0,1\}$ of the set M onto the two-element set $\{0,1\}$ (this set is equivalent to $\{\text{false}, \text{true}\}$) is called a *finite predicate*.

When solving practical problems related to the usage of finite predicates, it is useful to represent the latter whenever possible in a more compact form. Here it is possible to use experience of the theory of Boolean functions, developed chiefly for the case when the considered functions are represented in the disjunctive normal form (DNF). The most efficient methods of minimization of Boolean functions and solution of logical equations are designed just for that form. It is reasonable to extend these methods onto finite predicates.

According to tradition, let us assume that an *elementary conjunction* k represents the characteristic function of some interval I of space M , and this interval is defined as a direct product of non-empty subsets α_i , taken by one from every X_i :

$$I = \alpha_1 \times \alpha_2 \times \dots \times \alpha_n, \alpha_i \subseteq X_i, \alpha_i \neq \emptyset, i = 1, 2, \dots, n.$$

That means that an elementary conjunction k is defined as a conjunction of several one-argument predicates $x_i \in \alpha_i$ (x_i receives a value from subset α_i) and is represented by the expression

$$k = (x_1 \in \alpha_1) \wedge (x_2 \in \alpha_2) \wedge \dots \wedge (x_n \in \alpha_n).$$

The multiplicands, for which $\alpha_i = X_i$ (in this case predicate $x_i \in \alpha_i$ becomes identical to *true*), may be dropped.

Note, that in the simplest case, when all arguments become two-valued, this definition coincides with the definition of elementary conjunction in Boolean algebra.

Similarly, we shall define an *elementary disjunction* d as a disjunction of one-argument predicates distinct from true:

$$d = (x_1 \in \alpha_1) \vee (x_2 \in \alpha_2) \vee \dots \vee (x_n \in \alpha_n),$$

$$\alpha_i \subseteq X_i,$$

$$i = 1, 2, \dots, n.$$

If $\alpha_i = \emptyset$, the term $x_i \in \alpha_i$ can be deleted from any elementary disjunction, as representing the identically false expression.

The disjunctive and conjunctive normal forms are defined as usual: DNF is a disjunction of elementary conjunctions, and CNF is a conjunction of elementary disjunctions.

The characteristic functions of elements of space M are represented as *complete* elementary conjunctions, i.e. elementary conjunctions, in which all sets are one-element: $|\alpha_i| = 1$ for all $i = 1, 2, \dots, n$. Any DNF, composed of complete elementary conjunctions, is called *perfect* (PDNF). The number of its terms is equal to the power of characteristic set M_{\square} of predicate \square , represented by the given PDNF.

MATRIX FORM OF FINITE PREDICATES

Developing efficient methods for calculation over finite predicates, it is useful to apply the language of Boolean vectors and matrices, immediately representable in computer. And it means that all considered objects should be decomposed into some binary units, which will correspond to components of Boolean vectors and matrices, and should be represented as combinations of these units.

For representation of such combinations we shall use *sectional Boolean vectors*. They are divided into sections set in one-to-one correspondence with arguments, and the components

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/integrated-model-inductive-deductive-inference/69402

Related Content

An Empirical Study of NoSQL Databases for Big Data

Wen-Chen Hu, Naima Kaabouch, Hongyu Guo and Hung-Jen Yang (2016). *Effective Big Data Management and Opportunities for Implementation* (pp. 60-76).

www.irma-international.org/chapter/an-empirical-study-of-nosql-databases-for-big-data/157684

Integration of Data Mining and Statistical Methods for Constructing and Exploring Data Cubes

Muhammad Usman (2015). *Improving Knowledge Discovery through the Integration of Data Mining Techniques* (pp. 1-12).

www.irma-international.org/chapter/integration-of-data-mining-and-statistical-methods-for-constructing-and-exploring-data-cubes/134528

SOM-Based Clustering of Textual Documents Using WordNet

Abdelmalek Amine, Zakaria Elberrichi, Michel Simonet, Ladjel Bellatreche and Mimoun Malki (2009). *Handbook of Research on Text and Web Mining Technologies* (pp. 189-200).

www.irma-international.org/chapter/som-based-clustering-textual-documents/21725

Topic and Cluster Evolution Over Noisy Document Streams

Sascha Schulz, Myra Spiliopoulou and Rene Schult (2008). *Data Mining Patterns: New Methods and Applications* (pp. 220-239).

www.irma-international.org/chapter/topic-cluster-evolution-over-noisy/7567

Automatic Question Answering From Large ESG Reports

Pulkit Parikh and Julia Penfield (2024). *International Journal of Data Warehousing and Mining* (pp. 1-21).

www.irma-international.org/article/automatic-question-answering-from-large-esg-reports/352513