

Chapter 4

Desert in Bengal Delta– Changes in Landscape, Changes in Livelihood: Can Diffusion and Adoption of Sustainable Adaptation Make a Difference?

Md. Mustafa Saroar
Khulna University, Bangladesh

Jayant K. Routray
Asian Institute of Technology, Thailand

EXECUTIVE SUMMARY

This study is aimed to assess the impacts of various climate induced events and the sustainability of adoption of coping and adaptive measures against these impacts. The study was conducted through participatory rural appraisal (PRA) and focus group discussion (FGD) in three sites of Kalapara Upazila (Sub-district), located along the Bay of Bengal in Southwest Bangladesh. Finding suggests that although flooding, cyclones, storm surges, and seasonal droughts have different attributes, they have commonality in bringing severe salinity in soil, sub-soil water, and surface water bodies that severely affects the livelihood security of natural resource-dependent coastal population. Indigenous knowledge and diffusion of vernacular technologies have helped a large majority of people to adopt various coping and adaptation strategies against the salinity problem for long. However, in a chang-

DOI: 10.4018/978-1-4666-2842-7.ch004

Desert in Bengal Delta - Changes in Landscape, Changes in Livelihood

ing nature of salinity (i.e. a discrete isolated event has been turning to a perpetual event), which is resulting from climate change induced sea level rise (CC-SLR), most of their adopted coping and adaptation measures have failed to address their livelihood security on a sustained basis. To bolster their efforts toward adoption of adaptation strategies for sustainable livelihood, a range of avenues for interventions are identified.

ORGANIZATIONAL BACKGROUND

This research is aimed to explore the issues related to diffusion and adoption of adaptation strategies against the vulnerability of progressive intrusion of salinity which affects the sustainable livelihood of coastal inhabitants in Bangladesh. Salinity intrusion is largely governed by cyclonic and tidal surges, coastal flooding and climate change induced sea level rise (CC_SLR). The issue of adoption of sustainable adaptation strategies by the inhabitants of coast-lying and small island countries (SICs) against the long term impacts of SLR induced events drew global attention for the first time when the third assessment report of the Intergovernmental Panel on Climate Change (IPCC) warned that humanity might experience almost a one meter (88 cm) SLR by the end of this century (IPCC, 2001). Such a massive scale SLR would increase both the frequency and intensity of SLR induced events, such as cyclonic storms, storm surges, tidal surges and salinity intrusion. All of these have the potential to amplify various impacts of salinization. These networks of impacts would ultimately jeopardize the livelihood security of millions of souls who have been living in the deltaic coasts and SICs unless they successfully adopt sustainable coping and adaptation strategies. Successful adoption of sustainable coping and adaptation strategies depends on how much people are aware of the existence and pace of diffusion of such technologies. Society's readiness to adopt such techniques and technologies as part of sustainable adaptation strategies is equally important (Olsson & Jerneck, 2010). Unfortunately, countries that would suffer the most from SLR induced salinity are the ones who are due to poor adaptive capacity in lack of well defined network of diffusion of adaptation techniques and technologies. Bangladesh with a per capita income of US\$ 740 is a classic example of this duality, i.e. vary much prone to SLR induced salinity but paradoxically there exist very weak network for diffusion of techniques and technologies that relates to adoption of sustainable adaptation strategies (GOB, 2008). This chapter makes an attempt, first to present the nature of livelihood vulnerability of coastal population given the likely scenarios of climate change and SLR. Second, how they have been adopting various adaptation strategies against their impacts of climatic disasters on their livelihood security is discussed in some details. How they are planning to adopt

33 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/desert-bengal-delta-changes-landscape/73291

Related Content

Deep Web Mining through Web Services

Monica Maceliand Min Song (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 631-637).

www.irma-international.org/chapter/deep-web-mining-through-web/10887

Flexible Mining of Association Rules

Hong Shen (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 890-894).

www.irma-international.org/chapter/flexible-mining-association-rules/10925

Frequent Sets Mining in Data Stream Environments

Xuan Hong Dang, Wee-Keong Ng, Kok-Leong Ongand Vincent Lee (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 901-906).

www.irma-international.org/chapter/frequent-sets-mining-data-stream/10927

Statistical Data Editing

Claudio Conversanoand Roberta Siciliano (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 1835-1840).

www.irma-international.org/chapter/statistical-data-editing/11068

Comparing Four-Selected Data Mining Software

Richard S. Segall (2009). *Encyclopedia of Data Warehousing and Mining, Second Edition* (pp. 269-277).

www.irma-international.org/chapter/comparing-four-selected-data-mining/10832