

Chapter 9

A Hierarchical Approach to Reduce Power Consumption in Core and Edge Networks: A Metric-Based Proposal

Shankar Raman

Indian Institute of Technology Madras, India

Balaji Venkat

Indian Institute of Technology Madras, India

Gaurav Raina

Indian Institute of Technology Madras, India

ABSTRACT

The authors present a metric-based hierarchical approach to reduce power consumption in core and edge networks. The proposal considers both unicast and the multicast cases. For unicast, the metric used is consumed-power to available-bandwidth and for multicast the metric is consumed-power to available-replication-capacity.

With unicast, the metric is used to determine a low-power path between sources and destinations. The source and destination entities could be attached to Autonomous Systems (ASes) or to routing areas within the Autonomous System. Determining a low-power path within an Autonomous System provides a unique challenge as the topology of the constituent areas may not be known. To that end, we propose the use of a selective leak technique for disclosing low-power paths. Additionally, the proposed method can also be used to determine disjoint or redundant paths for load-balancing or fault tolerance. With multicast, the metric serves the twin purpose of finding low-power multicast paths as well as multicast replication points. Once low-power paths in either the unicast or the multicast cases are identified, then currently available traffic engineering techniques could be used to route the data packets.

DOI: 10.4018/978-1-4666-4305-5.ch009

INTRODUCTION

IP traffic, in the near future, is expected to increase significantly (Dhamdhere, 2011). To handle the increased volume in traffic, it is natural to expect that devices with higher capabilities as well as capacities have to be used in the Internet. It has been recently suggested that to cater for the anticipated increase in traffic, the Internet would need four times the current number of devices (CiscoPress, 2012). Increase in the number of devices readily translates into higher energy consumption for the Internet which, as of 2007, was one percent of the total generated power (Baliga, 2007). Therefore, it becomes imperative to provide solutions that help to reduce power consumption.

A currently popular method for reducing power consumption is the following (Bianzino, 2012a; Gupta, 2003):

- Combine the traffic of low utilization links, and
- Switch-off the links that are currently not being used.

However, this simple method does not explicitly consider the impact of increased utilization on neighboring routers, the power consumption associated with switching links on and off, and finally the impact of configuration changes on the line-cards.

In contrast, we work with the assumption that links do not operate in isolation which motivates the need for a distributed approach to reduce power consumption. In essence, our proposal involves three stages:

- Discover the topology,
- Compute a low-power path, and
- Use traffic engineering techniques such as Resource Reservation Protocol – Traffic Engineering (RSVP, 2001; 2008) to route the data through a low-power path.

The discovered topology is represented as a connected graph. When considering the interconnection discovery between Autonomous Systems (AS) (defined as inter-AS) we use the Border Gateway Protocol (BGP) (Rekhter & Li, 1995) strand information to discover the topology. For topology discovery within Autonomous Systems, i.e., the intra-AS approach, we propose the *selective leak* technique whereby the identified low-power paths within a routing area are transferred to other routing areas a-priori by the Area Border Router (ABR).

In the graph topology that is discovered, for unicast the metric used is consumed-power to available-bandwidth and for multicast the metric is consumed-power to available-replication-capacity. The metric determines the cost of the link in the topology and we apply the Constrained Shortest Path First (CSPF) algorithm to establish a low-power path between the source-destination pairs. To implement the proposed scheme, we rely on some additional information to be carried by the routing protocols such as Multi-Protocol Label Switching (MPLS) (see Viswanathan, 1998) for its evolution), Border Gateway Protocol (BGP) and Interior Gateway Protocols (IGP) such as Intermediate System to Intermediate System (IS-IS) (Callon, 1990) and Open Shortest Path First (OSPF) (Moy, 1997). Once low-power paths are identified, we apply the Inter-AS TE Label Switched Path based Traffic Engineering (TE) techniques (Le Roux, 2005) to establish a path to forward the data packets. The path is formed by an ordered set of neighboring network elements (typically *AS* in inter-AS scenario, *areas* in an intra-AS scenario and *routers* within an area). In this chapter, we show the applicability of our technique to MPLS-based networks.

We outline some desirable aspects of any new proposal:

1. Easy to integrate with existing protocols.

29 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/hierarchical-approach-reduce-power-consumption/77504

Related Content

Reconfigurable Intelligent Surface for mmWaves and Multi-Antenna Systems: Design Challenges and Applications

R. Sivaprasad (2025). *Applications and Challenges of Reconfigurable Intelligent Surfaces in 6G* (pp. 255-286).

www.irma-international.org/chapter/reconfigurable-intelligent-surface-for-mmwaves-and-multi-antenna-systems/375775

Comparing the Influence of Social Networks Online and Offline on Decision Making: The U.S. Senate Case

Jang Hyun Kim, George A. Barnett and Kyunghye "Hazel" Kwon (2012). *E-Politics and Organizational Implications of the Internet: Power, Influence, and Social Change* (pp. 198-219).

www.irma-international.org/chapter/comparing-influence-social-networks-online/65216

Smart Pollution Alert System Using Machine Learning

P. Chitra and S. Abirami (2019). *Integrating the Internet of Things Into Software Engineering Practices* (pp. 219-235).

www.irma-international.org/chapter/smart-pollution-alert-system-using-machine-learning/220768

Ethical Considerations in Privacy-Preserving Industrial Security of Cognitive Internet of Things-Enabled Drones

Chikesh Ranjan, Biplob Chakraborty, J. Srinivas and Kaushik Kumar (2025). *Innovations in Blockchain-Powered Intelligence and Cognitive Internet of Things (CIoT)* (pp. 33-56).

www.irma-international.org/chapter/ethical-considerations-in-privacy-preserving-industrial-security-of-cognitive-internet-of-things-enabled-drones/362540

Big Data Analysis and Implementation in Different Areas Using IoT

Aqeel ur Rehman, Muhammad Fahad, Rafi Ullah and Faisal Abdullah (2020). *Securing the Internet of Things: Concepts, Methodologies, Tools, and Applications* (pp. 1096-1111).

www.irma-international.org/chapter/big-data-analysis-and-implementation-in-different-areas-using-iot/234984