Chapter 13 Model-Driven Development of Mobile Information Systems

Ralf Bruns

Hannover University of Applied Sciences and Arts, Germany

Jürgen Dunkel

Hannover University of Applied Sciences and Arts, Germany

ABSTRACT

Significant improvements in the development of business applications for mobile devices have been made in recent years. However, the state of the art in software development is for mobile computing still not as mature as it is for conventional information systems on desktop computers. Therefore, declarative and code generation approaches should be preferred instead of manually coding. In the BAMOS project an architecture has been designed and implemented for the generic and flexible development of mobile information systems. The architecture is based on the declarative description of the available services and enables the access to service-oriented architecture (SOA) systems for mobile devices. In this chapter, the authors present a model-driven approach for generating almost the complete source code of mobile services. By applying model-driven development, a new service can be conveniently modeled with a graphical modeling tool and the graphical models are then used to generate the corresponding XML descriptions of the mobile user interface and the workflow specification. In order to use such a service no specific source code has to be implemented on the mobile device. In addition, an alternative modeling approach based on a textual representation of the models using a formal grammar expressed in EBNF is presented.

INTRODUCTION

Today mobile devices, such as mobile phones, personal digital assistants (PDA) or smart phones, are ubiquitous and accompany theirs users almost every time and everywhere. Their capability of

DOI: 10.4018/978-1-4666-4301-7.ch013

connecting to local area networks via Bluetooth or Wireless LAN offers the potential for a new quality of mobile applications expanding by far the limits of present ones. So far, mobile devices do not fully exploit the whole potential of these networks. They are mostly employed only for communication or personal information management purposes. While moving with a mobile device, the user enters a large number of different local networks; each might offer different localization-specific services. Examples for such location-based services (Hadig & Roth, 2004) are the timetable and location plan of the next bus stop, the current programs of the local cinemas, or a car reservation service of the car rental agencies nearby.

A major obstacle for the further dissemination of mobile information systems is the fact that the software development for mobile devices is still cumbersome and not as mature as for desktop computers. Therefore, declarative and code generation approaches should be preferred instead of manually coding. In the BAMOS project (Base Architecture for MObile applications in Spontaneous networks) (Schmiedel et al., 2005), a software architecture has been designed and implemented for the flexible development of mobile information systems. The BAMOS architecture can serve as a base for code generation approaches. Using the BAMOS platform a mobile device can dynamically connect to a local network and use all the available services offered there. To make this approach successful the development of mobile services should be as easy as possible. In this chapter we present a model-driven approach for generating nearly the complete source code of mobile BAMOS services. Furthermore, on the mobile devices no line of code has to be implemented when the BAMOS platform is employed.

ARCHITECTURE OF MOBILE APPLICATIONS

An indispensable prerequisite for applying model-driven development is a powerful architectural base providing the target platform for code generation. The BAMOS platform enables the development of mobile applications by providing two software components. The first component is a so-called Adhoc Client that – similar to a Web browser – enables the mobile device to access information services in spontaneous networks. The second component is a so-called Service Broker that – similar to a Web Server – serves as an interface between the Adhoc Client and the services available in the network.

With the BAMOS platform a mobile device can use different services in diverse local networks. The Adhoc Client is a generic software component that does not require any information about the specific services. It loads the declarative descriptions of the services at run-time and generates a service-specific graphical user interface. The core concept underlying this generic approach is the declarative description of the process flow as well as of the graphical user interface.

BAMOS Architecture

The BAMOS platform serves as the implementation base for the generation of mobile information systems. It consists of three main components. Figure 1 illustrates the architecture and the relationship between the different architectural components.

The Service Provider offers services to other systems. To access these services on a mobile device some requirements have to be fulfilled:

- The implemented services must be accessible for remote programs. For instance, they may be implemented as a Web Service that can be invoked over the Internet.
- In BAMOS all services must be described in a declarative manner to permit their usage on a mobile device. Each service description defines the mobile user interfaces and the corresponding control flow (more details are discussed below).
- The Service Providers have to register their service descriptions at the Service Broker.

The Service Broker mainly acts as a mediator between Service Providers and Adhoc Clients. It can be described by the following characteristics: 16 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/model-driven-development-mobile-

information/77708

Related Content

Towards a Method Family Supporting Information Services Co-Creation in the Transdisciplinary Context

Jolita Ralyté (2013). International Journal of Information System Modeling and Design (pp. 50-75). www.irma-international.org/article/towards-a-method-family-supporting-information-services-co-creation-in-thetransdisciplinary-context/80196

Securing SDN-Enabled Smart Power Grids: SDN-Enabled Smart Grid Security

Uttam Ghosh, Pushpita Chatterjeeand Sachin Shetty (2018). *Cyber-Physical Systems for Next-Generation Networks (pp. 79-98).*

www.irma-international.org/chapter/securing-sdn-enabled-smart-power-grids/204668

Probabilistic Background Model by Density Forests for Tracking

Daimu Oiwa, Shinji Fukui, Yuji Iwahori, Tsuyoshi Nakamura, Boonserm Kijsirikuland M. K. Bhuyan (2017). *International Journal of Software Innovation (pp. 1-16).* www.irma-international.org/article/probabilistic-background-model-by-density-forests-for-tracking/176664

Depression Identification Through Tweet Clusters

Abhishek Masand, Suryansh Chauhanand Tarun Jain (2022). *International Journal of Software Innovation* (pp. 1-14).

www.irma-international.org/article/depression-identification-through-tweet-clusters/297916

Flexible Provenance Tracing

Liwei Wang, Henning Koehler, Ke Deng, Xiaofang Zhouand Shazia Sadiq (2011). *International Journal of Systems and Service-Oriented Engineering (pp. 1-20).* www.irma-international.org/article/flexible-provenance-tracing/55120