

Chapter 63

Engineering and Reengineering of Technology Enhanced Learning Scenarios Using Context Awareness Processes

Clara Inés Peña de Carrillo

Universidad Industrial de Santander, Colombia

Christophe Choquet

University of Maine, France

Christophe Després

University of Maine, France

Sébastien Iksal

University of Maine, France

Pierre Jacoboni

University of Maine, France

Aina Lekira

University of Maine, France

El Amine Ouraiba

University of Maine, France

Diem Pham Thi-Ngoc

University of Maine, France

ABSTRACT

This chapter proposes a context modeling process to help tutors adapt their tutorship actions based on students' profiles and performance on Technology Enhanced Learning environments (TEL). It attempts also to involve teachers as designers in the engineering process of a TEL system development and to support their activity of auto-regulation regarding the students' guidance and assistance. This aim leads to improve teaching strategies as well as to enhance the quality of the learning objects and the learning scenario itself. In fact, if the TEL system is already adaptive, by means of this approach, its improvement is fostered. If not, the process will support its iterative transformation from predefined to adaptive. The Model Driven Engineering (MDE) methodology is used since it gives educational designers (teachers for this proposal) and software designers the ability to define, communicate, and test a solution while creating artifacts that become part of the overall solution. The Usage Tracking Language (UTL) has been developed to provide the actors of a TEL system (designers, tutors, learners, and analysts) with a dutiful tool to describe the observed uses of the descriptive pedagogical scenario and their semantics, including the definition of the observation needs and the means required for data acquisition. The structure of tracks and their transformations from raw data allows the calculation of indicators which supports the building of users' models that will influence users' decision making. Finally, a case study using the Hop3X environment for learning Java programming to apply this process is presented.

DOI: 10.4018/978-1-4666-4301-7.ch063

INTRODUCTION

Much research work has been developed to achieve by Information and Communication Technologies (ICT) student-centered education considering that concepts like learning, knowledge, skills, competences, learning outcomes and qualifications make up the core of current educational perspectives (Peña et al., 2008). This chapter is based on studies in-line with these research objectives and focuses on adaptation of tutorship actions on students' performance during a learning activity using a TEL environment.

At this moment, some TEL environments delegate to humans as tutors, teachers or the learners themselves an adaptive decision making while other works explore the possibility to adapt dynamically its performance and configuration, as in Intelligent Tutoring Systems (ITS) or Adaptive Educational Hypermedia (AEH). Anyhow, these kinds of adaptation are based on the interpretation of the learning context. This interpretation could answer the following questions for teachers/instructors/tutors/trainers: Who are the ones involved in the activities? How are they acting? What do they need? Who should be assisted?; and questions coming from learners: What to learn? When? How? Why should we?.

In short, both, humans and the TEL environment need information of the learning situation (context) to make an adaptive decision of performance.

This work takes into account the following elements from the learning context as constraints for adapting the tutoring act to the students' needs: their profile (e.g., name, age, learning style, disabilities, and preferences), their performance (e.g., formative assessment, and knowledge level), and their accessibility means and conditions (e.g., hardware, software, connectivity, and institutional policies). Part of this context is directly given to the system by data captured and processed through questionnaires (e.g., learning style, using the Index of Learning Style Instrument (ILS); knowledge

level, applying a subject domain questionnaire; preferences, by the application of a subjective likes instrument, etc.) since other part is identified from the students' actions on a learning environment (the interactivity context).

In order to formalize data mining, data analysis techniques and capitalize them as design and inspection patterns from the interactivity context, the Usage Tracking Language has been proposed (Choquet, & Iksal, 2007). By this language, the automatic methods for collecting data and creating significant indicators (in the meaning of Harrer et al., 2009) for the users could be expressed in a declarative and generic way, and could be interpreted for mining tracks from different TEL systems (Pham Thi Ngoc et al., 2010).

The context modeling process here proposed has to be considered as an original answer to the following current open question in instructional design: how to involve teachers as designers in the engineering process of a TEL system development?.

Basically, existing TEL systems fall into two categories:

1. Systems designed by Information Technologies (IT) experts, such as Intelligent Tutoring Systems mainly without the help of final users. These systems are then proposed to teachers.
2. Systems designed on generic platforms, such as Learning Management Systems (LMS) where the final users (e.g. the teachers) could organize resources and services for defining a learning activity.

These last systems are often basic in terms of pedagogical scenarios because:

- Teachers are not able to develop/adapt well-suited and rich resources and
- Teachers have a lot of difficulties to “predict”, different alternatives of the learning activity.

23 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/engineering-reengineering-technology-enhanced-learning/77758

Related Content

Model-Driven Automated Error Recovery in Cloud Computing

Yu Sun, Jules White, Jeff Gray and Aniruddha Gokhale (2011). *Model-Driven Domain Analysis and Software Development: Architectures and Functions* (pp. 136-155).

www.irma-international.org/chapter/model-driven-automated-error-recovery/49157

Classification of Bug Injected and Fixed Changes Using a Text Discriminator

Akihisa Yamada and Osamu Mizuno (2015). *International Journal of Software Innovation* (pp. 50-62).

www.irma-international.org/article/classification-of-bug-injected-and-fixed-changes-using-a-text-discriminator/121547

Estimation and Evaluation of Software Quality at a Particular Stage of Software Development

(2018). *Enhancing Software Fault Prediction With Machine Learning: Emerging Research and Opportunities* (pp. 79-102).

www.irma-international.org/chapter/estimation-and-evaluation-of-software-quality-at-a-particular-stage-of-software-development/189685

Integrating Quality Criteria and Methods of Evaluation for Software Models

Anna E. Bobkowska (2009). *Model-Driven Software Development: Integrating Quality Assurance* (pp. 78-94).

www.irma-international.org/chapter/integrating-quality-criteria-methods-evaluation/26826

The Method and Tools Development for Web-Cameras Color Correction in Binocular Vision Systems

Konstantin Dergachov, Leonid Krasnov, Olexander Cheliadin and Olexander Plakhotnyi (2021). *Handbook of Research on Software Quality Innovation in Interactive Systems* (pp. 154-191).

www.irma-international.org/chapter/the-method-and-tools-development-for-web-cameras-color-correction-in-binocular-vision-systems/273569