

Chapter 6.8

Expanding Data Mining Power with System Dynamics

Edilberto Casado

Gerens Escuela de Gestión y Economía, Peru

INTRODUCTION

Data Mining

Business intelligence (BI) is a key topic in business today, since it is focused on strategic decision making and on the search of value from business activities through empowering a “forward-thinking” view of the world. From this perspective, one of the most valuable concepts within BI is the “knowledge discovery in databases” or “data mining,” defined as “the process of discovering meaningful new correlations, patterns, and trends by sifting through large amounts of data stored in repositories, using pattern recognition technologies as well as statistical and mathematical techniques” (SPSS, 1997).

The usage of data mining as we currently know dates back to 1995 (Pyle, 2003). Since then, many applications were developed, and now it is a critical discipline to gain business insight. Table 1 shows a list of current data mining applications.

System Dynamics

System dynamics was created by Jay W. Forrester, Germeshausen Professor Emeritus of Massachusetts Institute of Technology (MIT), in 1956. It is defined by the System Dynamics Society (www.systemdynamics.org) as “a methodology for studying and managing complex feedback systems, such as one finds in business and other social systems.”

Table 1. A short list of data mining applications

- | |
|---|
| <ul style="list-style-type: none"> • Credit scoring • Customer behavior prediction • Customer segmentation • Database marketing • Drug discovery • Fraud prevention • Non-compliant taxpayer detection • Targeted marketing • Web mining (analysis on Internet-generated data from a Web site) |
|---|

Table 2. A short list of fields where system dynamics is applied

<ul style="list-style-type: none"> • Environmental sciences • Social sciences • Economics • Software development • Project management • Enterprise management • Supply chain management • Health care • Customer behavior
--

System dynamics evolved from prior work in feedback control systems, and progressively its application was extended to fields other than engineering. Though its primary application is focused in the understanding of complex systems, it is also used as a predictive tool (Stermann 2000; An, Uhm, Kim & Kwak, 2002; Forrest, 1998). Table 2 shows a list of some fields where system dynamics has found applications.

LIMITATIONS OF DATA MINING FOR PREDICTIVE APPLICATIONS

Regarding data mining techniques and algorithms, Table 3 summarizes the most commonly accepted classification (Berson & Smith, 1997; Thearling, 2003; The Pilot Software's Data Intelligence Group, 1995).

As predictive tools, the data mining techniques listed in Table 3 have the following shortcomings:

- 1) *The statistical foundation of data mining:* Most of the current BI methods and tools, such as rule induction, decision trees, neural networks, and so forth, are extensively used to develop predictive models; and their

conceptual foundation are a combination of mathematical, statistical, and artificial intelligence techniques. It is here where we find a source of limitation for a wider set of real-world applications, since statistics works with historical data and there is no full guarantee about predictions based on such data. A change in the characteristics of a market from a developing to a mature phase, for example, is enough to invalidate the use of statistical methods to forecast customer behavior (An et al., 2002).

- 2) *Explanation of results:* Another limitation of some data mining methods like neural networks, genetic algorithms, and so forth is their inability to provide an adequate explanation of their results, because they are not easily mapped into human terms (Moxon, 1996), or they are seen as black boxes and no explanation of the results is given, which inhibits confidence, acceptance, and application of results (Parallel Computer Centre at The Queen's University of Belfast, 1997).
- 3) *The thinking paradigm under the application of data mining methods:* As consequence of their statistical foundation, data mining methods provide information about trends and patterns in the context of a "straight-line thinking" paradigm (i.e., an outcome is expressed as a function of one or more independent variables). However, real world is a feedback system made of interacting elements in a closed-loop context, where an action leads to a result that affects current conditions, and the changed conditions become the basis for future action (Forrester, 1991). A growth strategy executed only relying in trends provided by data mining methods, for example, can lead to failures in achieving the desired goals, because the feedback effects in the business system were ignored (Avila, Mass & Turchan, 1995).

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/expanding-data-mining-power-system/7792

Related Content

Using Data Mining Techniques to Probe the Role of Hydrophobic Residues in Protein Folding and Unfolding Simulations

Cândida G. Silva, Pedro Gabriel Ferreira, Paulo J. Azevedo and Rui M.M. Brito (2010). *Evolving Application Domains of Data Warehousing and Mining: Trends and Solutions* (pp. 258-276).

www.irma-international.org/chapter/using-data-mining-techniques-probe/38227

Data Mining and Knowledge Discovery in Metabolomics Armin

Christian Baumgartner and Armin Graber (2008). *Data Warehousing and Mining: Concepts, Methodologies, Tools, and Applications* (pp. 1759-1783).

www.irma-international.org/chapter/data-mining-knowledge-discovery-metabolomics/7730

VRMiner: A Tool for Multimedia Database Mining With Virtual Reality

H. Azzag, F. Picarougne, C. Guinot and G. Venturini (2008). *Data Warehousing and Mining: Concepts, Methodologies, Tools, and Applications* (pp. 1557-1572).

www.irma-international.org/chapter/vrminer-tool-multimedia-database-mining/7715

X-WACoDa: An XML-Based Approach for Warehousing and Analyzing Complex Data

Hadj Mahboubi, Jean-Christian Ralaivao, Sabine Loudcher, Omar Boussaïd and Fadila Bentayeb (2010). *Data Warehousing Design and Advanced Engineering Applications: Methods for Complex Construction* (pp. 38-54).

www.irma-international.org/chapter/wacoda-xml-based-approach-warehousing/36607

Personalized Spatio-Temporal OLAP Queries Suggestion Based on User Behavior and a New Similarity Measure

Olfa Layouni and Jalel Akaichi (2019). *Emerging Perspectives in Big Data Warehousing* (pp. 105-128).

www.irma-international.org/chapter/personalized-spatio-temporal-olap-queries-suggestion-based-on-user-behavior-and-a-new-similarity-measure/231010