

Chapter 8

Improving Pointing in Graphical User Interfaces for People with Motor Impairments Through Ability-Based Design

Jacob O. Wobbrock
University of Washington, USA

ABSTRACT

Pointing to targets in graphical user interfaces remains a frequent and fundamental necessity in modern computing systems. Yet for millions of people with motor impairments, children, and older users, pointing—whether with a mouse cursor, a stylus, or a finger on a touch screen—remains a major access barrier because of the fine-motor skills required. In a series of projects inspired by and contributing to ability-based design, we have reconsidered the nature and assumptions behind pointing, resulting in changes to how mouse cursors work, the types of targets used, the way interfaces are designed and laid out, and even how input devices are used. The results from these explorations show that people with motor difficulties can acquire targets in graphical user interfaces when interfaces are designed to better match the abilities of their users. Ability-based design, as both a design philosophy and a design approach, provides a route to realizing a future in which people can utilize whatever abilities they have to express themselves not only to machines, but to the world.

INTRODUCTION

For many people today, the word “computer” is synonymous with a machine that displays a graphical user interface: depictions on a screen that convey information to a user and enable a user to convey information back to a machine. Although computers existed for decades prior to graphical user interfaces, and although many computers exist today without any visual display—for example,

computers embedded in automotive systems, satellites, or home appliances—people’s notions of computers are still dominated by graphical user interfaces. It seems that wherever users go, and on whatever platform users operate, pixels arranged mostly in rectangular shapes are there to greet them. Most users today even carry at least one graphical user interface in their pocket, the immensely popular smartphone that has become more “computer” than ever it was a “telephone.”

Along with the popularity of graphical user interfaces has come the related need for users

DOI: 10.4018/978-1-4666-4438-0.ch008

to point to graphically portrayed objects. An early famous example is Ivan Sutherland's 1963 Sketchpad, whose direct-pointing approach using a light pen has enjoyed a modern rebirth in the form of stylus- and finger-based direct-touch devices like smartphones (Sutherland, 1963). Douglas Engelbart's 1968 NLS demo first unveiled the relative-pointing scheme of the mouse (Engelbart, 1963), which was adopted by Xerox PARC for use with their bitmapped graphical displays of the late 1970s (Johnson, Roberts, Verplank, Smith, Irby, Beard, & Mackey, 1989), and later successfully commercialized by the Apple Macintosh in 1984 (Williams, 1984) and Microsoft Windows 1.0 in 1985 (Markoff, 1983).

Despite the revolutionary hardware and software advances that have driven computer evolution, a truth has remained: to operate a graphical user interface, a user must be able to successfully point-and-click on graphical targets rapidly, reliably, and repeatedly. Along with text entry, pointing comprises the essential substrate of interactive computer use. There is precious little way of escaping it, as even command-line aficionados must admit. Studies show that depending on the tasks being performed, 31-65% of computer users' time is spent using the mouse, and one-third to one-half of that time is spent dragging, a complex human motor operation (Johnson, Dropkin, Hewes, & Rempel, 1993). More recent studies show that mouse usage outweighs keyboard usage by three to five times (Chang, Amick, Menendez, Katz, Johnson, Robertson, & Dennerlein, 2007; Mikkelsen, Vilstrup, Lassen, Kryger, Thomsen, & Andersen, 2007). And yet, despite the inescapable requirement of pointing, it still represents a major obstacle to successful computer use for millions of people with motor impairments and motor-related difficulties (Riviere & Thakor, 1996). Any of the three "r" words above can be significant challenges:

- **Rapidly:** Some people with motor impairments can point only extremely slowly,

which means operating a computer can be an excruciating and arduous process.

- **Reliably:** Some people with motor impairments have a great deal of variation in their movements, which means the outcomes of their aimed pointing attempts are neither consistent nor predictable.
- **Repeatedly:** Some people with motor impairments fatigue quickly, which means repeated use degrades their performance before they can accomplish their tasks.

At its most basic, pointing on a graphical display results in indicating a one-pixel island in an ocean of surrounding pixels. In practice, that single pixel usually belongs to a group of pixels comprising a user interface object of some kind—a button, hyperlink, menu item, scrollbar, or similar. Placing an indicator—whether a mouse cursor, stylus, or finger—inside a small screen area and doing so rapidly, reliably, and repeatedly requires an abundance of motor skills (Sutter & Ziefle, 2005). These skills include the ability to grip a device or position the hand, the ability to exert controlled force, and the ability to make fine submovement corrections during the final phases of target acquisition (Meyer, Abrams, Kornblum, Wright, & Smith, 1988; Meyer, Smith, Kornblum, Abrams, & Wright, 1990). Pointing requires both gross and fine motor control. About half of all users point with a mouse by lifting and suspending the arm; the other half point primarily using their wrists and fingers (Balakrishnan & MacKenzie, 1997; Johnson et al., 1993). When pointing, a user's psychomotor system must be able to receive ongoing visual feedback and couple that visual feedback to proprioceptive and kinesthetic feedback to rapidly issue and execute accurate movements (Crossman & Goodeve, 1963, 1983). It is no surprise, given the complex human perceptual-motor systems involved, that pointing can be difficult for a variety of reasons.

Problems that compromise pointing may be neurological, perceptual, muscular, skeletal, or

46 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/improving-pointing-graphical-user-interfaces/78429

Related Content

Human Performance

(2014). *Enhancing the Human Experience through Assistive Technologies and E-Accessibility* (pp. 267-273).

www.irma-international.org/chapter/human-performance/109958

User-Centered Design of Wearable Assistive Devices for the Aging Population

Philip Kinsella, Paul Stoddart and Charlie Ranscombe (2016). *Optimizing Assistive Technologies for Aging Populations* (pp. 130-153).

www.irma-international.org/chapter/user-centered-design-of-wearable-assistive-devices-for-the-aging-population/137792

Media and Entertainment

(2014). *Enhancing the Human Experience through Assistive Technologies and E-Accessibility* (pp. 218-240).

www.irma-international.org/chapter/media-and-entertainment/109955

Sensors and their Application for Disabled and Elderly People

Jesus Tomas, Jaime Lloret, Diana Briand Sandra Sendra (2014). *Assistive Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 357-376).

www.irma-international.org/chapter/sensors-and-their-application-for-disabled-and-elderly-people/80621

Healthcare in the Era of AI: Ethical Considerations, Challenges, and Future Trends

Minal Dilip Kalamkar and Rajesh Prasad (2025). *Assistive Technology Solutions for Aging Adults and Individuals With Disabilities* (pp. 145-164).

www.irma-international.org/chapter/healthcare-in-the-era-of-ai/368130