



## **Chapter 17**

# **Specification of Components Based on the WebComposition Component Model**

Martin Gaedke

University of Karlsruhe, Germany,

Klaus Turowski

University of the Federal Armed Forces, Munich, Germany

*Developing application systems that use the World Wide Web (WWW, Web) as an application platform suffers from the absence of disciplined approaches to develop such Web-applications. Besides, the Web's implementation model makes it difficult to apply well-known process models to the development and evolution of Web-applications. On the other hand, component-based software development appears as a promising approach that meets essential requirements of developing and evolving highly dynamic Web-applications. With respect to Web-applications, its main objective is to build Web-applications from (standardized) components. Founded on these insights and based on a dedicated component model, we propose an approach to a disciplined specification of components.*

## **WEBCOMPOSITION COMPONENT MODEL**


The *WebComposition* component model (Gellersen & Gaedke, 1999) describes the way of composing Web-applications from components. It bridges the gap between design and implementation by capturing whole design artifacts in components of arbitrary granularity. The resolution of a component is not preset but can vary depending on the level of detail required by the design concept in

Previously Published in *Managing Information Technology in a Global Economy*, edited by Mehdi Khosrow-Pour, Copyright © 2001, Idea Group Publishing.

This chapter appears in the book, *Data Warehousing and Web Engineering* by Shirley Becker. Copyright © 2002, Idea Group Publishing.

question. A component may represent, e.g., an atomic feature such as the font size attribute, a complex navigation structure, implementations of hypermedia design-patterns, or simply compositions of other components. In this way, WebComposition supports the bridging of the gap between the design and the implementation model by offering a high-resolution implementation model relying on code-abstractions. We construct complete target language resources by compiling compositions of these components. In the following sub-sections, we describe the WebComposition approach, which is based on the WebComposition component model. The complete WebComposition approach defines a disciplined procedure of composing Web-applications with components (Gaedke, 2000). It is a synthesis of a component-oriented process model with a dedicated Web-application framework, reuse management, and a dedicated component-technology.

*Figure 1: Dimensions of a Web-application's evolution space*



### WebComposition Process Model

The requirements for a software system change as time goes by. It is obvious that many kinds of influences are responsible for this, e.g., new regulations, changes in corporate identity or an extension of functionality. Such maintenance tasks are difficult to handle if we did not design the application with the possibility of later changes and extensions in mind.

The *WebComposition Process Model* focuses on the evolution of Web-applications by reusing components. It consists of three main-phases. The phases are derived from the common phases of (object-oriented) process models as well as solutions addressing the need of software reuse, and taking the principles of the

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/specification-components-based-webcomposition-component/7875](http://www.igi-global.com/chapter/specification-components-based-webcomposition-component/7875)

## Related Content

---

### Discovering Ranking Functions for Information Retrieval

Weiguo Fan and Praveen Pathak (2005). *Encyclopedia of Data Warehousing and Mining* (pp. 377-381).

[www.irma-international.org/chapter/discovering-ranking-functions-information-retrieval/10626](http://www.irma-international.org/chapter/discovering-ranking-functions-information-retrieval/10626)

### User-Centered Interactive Data Mining

Yan Zho, Yaohua Chen and Yiyu Yao (2008). *Data Warehousing and Mining: Concepts, Methodologies, Tools, and Applications* (pp. 2051-2066).

[www.irma-international.org/chapter/user-centered-interactive-data-mining/7748](http://www.irma-international.org/chapter/user-centered-interactive-data-mining/7748)

### Symbiotic Data Mining

Kuriakose Athappilly and Alan Rea (2005). *Encyclopedia of Data Warehousing and Mining* (pp. 1083-1086).

[www.irma-international.org/chapter/symbiotic-data-mining/10757](http://www.irma-international.org/chapter/symbiotic-data-mining/10757)

### Supporting Participation in Online Social Networks

Agostino Poggi, Paolo Fornaciari, Gianfranco Lombardo, Monica Mordonini and Michele Tomaiuolo (2019). *New Perspectives on Information Systems Modeling and Design* (pp. 122-142).

[www.irma-international.org/chapter/supporting-participation-in-online-social-networks/216335](http://www.irma-international.org/chapter/supporting-participation-in-online-social-networks/216335)

### Impediments to Exploratory Data Mining Success

Jeff Zeanah (2008). *Data Warehousing and Mining: Concepts, Methodologies, Tools, and Applications* (pp. 2566-2582).

[www.irma-international.org/chapter/impediments-exploratory-data-mining-success/7784](http://www.irma-international.org/chapter/impediments-exploratory-data-mining-success/7784)