ITB11969



IDEA GROUP PUBLISHING 701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com

This paper appears in the book, Database Modeling for Industrial Data Management:Emerging Technologies and Applications edited by Zongmin Ma © 2006, Idea Group Inc.

Chapter IV

Similarity Search for Voxelized CAD Objects

Hans-Peter Kriegel, University of Munich, Germany Peer Kröger, University of Munich, Germany Martin Pfeifle, University of Munich, Germany Stefan Brecheisen, University of Munich, Germany Marco Pötke, software design & management AG, Germany Matthias Schubert, University of Munich, Germany Thomas Seidl, RWTH Aachen, Germany

Abstract

Similarity search in database systems is becoming an increasingly important task in modern application domains such as multimedia, molecular biology, medical imaging, and many others. Especially for CAD (Computer-Aided Design), suitable similarity models and a clear representation of the results can help to reduce the cost of developing and producing new parts by maximizing the reuse of existing parts. In this chapter, we present different similarity models for voxelized CAD data based on space partitioning and data partitioning. Based on these similarity models, we introduce an industrial prototype, called BOSS, which helps the user to get an overview over a set of CAD objects. BOSS allows the user to easily browse large data collections by graphically displaying the results of a hierarchical clustering algorithm. This representation is well suited for the evaluation of similarity models and to aid an industrial user searching for similar parts.

Introduction

In the last ten years, an increasing number of database applications have emerged for which efficient and effective support for similarity search is substantial. The importance of similarity search grows in application areas such as multimedia, medical imaging, molecular biology, computer-aided engineering, marketing and purchasing assistance, and so forth. Particularly, the task of finding similar shapes in 2D and 3D becomes more and more important. Examples for new applications that require the retrieval of similar threedimensional objects include databases for molecular biology, medical imaging, and virtual engineering.

Especially in the area of modern engineering, the development, design, manufacturing, and maintenance of products is a very expensive and complex task. Shorter product cycles and a greater diversity of models are becoming decisive competitive factors in the hard-fought automobile and plane market. To cope with this rapidly growing amount of data, effective and efficient similarity models are required for two- and three-dimensional CAD applications.

Accurate representations of CAD surfaces are typically implemented by parametric bi-cubic surfaces, including Hermite, Bézier, and B-spline patches. For many operations, such as graphical display or the efficient computation of surface intersections, these parametric representations are too complex (Möller & Haines, 1999). As a solution, approximative polygon (e.g., triangle) meshes can be derived from the accurate surface representation. These triangle meshes allow for an efficient and interactive display of complex objects, for instance, by means of VRML-encoded files, and serve as an ideal input for the computation of spatial interference.

By means of a uniform three-dimensional voxel grid covering the global product space, the geometry of the CAD parts is often converted into a set of voxels (cf. Figure 1). The voxelization of polygon meshes is a major research topic in the field of computer graphics and CAD. Voxelization techniques and applica-

31 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/similarity-search-voxelized-cad-</u> objects/7890

Related Content

Agile Modeling, Agile Software Development, and Extreme Programming: The State of Research

John Erickson, Kalle Lyytinenand Keng Siau (2005). *Journal of Database Management (pp. 88-100).* www.irma-international.org/article/agile-modeling-agile-software-development/3343

Syntactical and Semantical Correctness of Pictorial Queries for GIS

Fernando Ferriand Maurizio Rafanelli (2005). *Encyclopedia of Database Technologies and Applications (pp. 671-676).* www.irma-international.org/chapter/syntactical-semantical-correctness-pictorial-queries/11222

Database Reverse Engineering

Jean-Luc Hainaut, Jean Henrard, Didier Roland, Jean-Marc Hickand Vincent Englebert (2009). *Handbook of Research on Innovations in Database Technologies and Applications: Current and Future Trends (pp. 181-189).* www.irma-international.org/chapter/database-reverse-engineering/20702

Consistent Queries over Databases with Integrity Constraints

Luciano Caroprese, Cristian Molinaro, Irina Trubitsynaand Ester Zumpano (2009). *Database Technologies: Concepts, Methodologies, Tools, and Applications (pp. 2051-2058).*

www.irma-international.org/chapter/consistent-queries-over-databases-integrity/8019

Alliance Project: Digital Kinship Database and Genealogy

Shigenobu Sugitoand Sachiko Kubota (2009). *Database Technologies: Concepts, Methodologies, Tools, and Applications (pp. 956-960).* www.irma-international.org/chapter/alliance-project-digital-kinship-database/7952