

## Chapter 18

# Investigating the Efficiency of GRASP for the SDST HFS with Controllable Processing Times and Assignable Due Dates

**Maryam Ashrafi**

*Amirkabir University of Technology, Iran*

**Hamid Davoudpour**

*Amirkabir University of Technology, Iran*

**Mohammad Abbassi**

*Institute for Trade Studies and Research, Iran*

### ABSTRACT

*This chapter deals with a hybrid flow shop scheduling problem involving sequence dependent setup times, commonly known as the SDST hybrid flow shop, and each stage (work centre) consists of parallel identical machines. In this problem, each job has a different release date and consists of ordered operations that must be processed on machines from different centers in the same order. In addition, the processing times of operations on some machine centers may vary between a minimum and a maximum value depending on the use of a continuously divisible resource. We consider a non-regular optimization criterion based on due dates which are not a priori given or fixed but can be assigned by a decision-maker. A due date assignment cost is also included into the objective function. Finally, the results obtained through the use of GRASP (Greedy Randomized Adaptive Search Procedure) are compared with those computed by SA (Simulated Annealing).*

DOI: 10.4018/978-1-4666-4450-2.ch018

## INTRODUCTION

There are several flow patterns of scheduling categorized based on the number of operations required to process a job and on the number of available machines per operation and finally number of work centers.

The concept of routing can be introduced based on machines; we have single machine shop, flow shop, permutation flow shop, job shop, and open shop scheduling problems. When processing stages are considered instead of machines, we have parallel machine shop, hybrid flow shop, and job shop with duplicate machines scheduling problems (Gholami, Zandieh, & Alem-Tabriz, 2009). The process industry such as the printed circuit board, automobile, chemical, pharmaceutical, oil, food, tobacco, textile, paper, and metallurgical industries can be modeled as a hybrid flow shop.

The Hybrid Flow Shop (HFS) scheduling problem has been widely discussed in the literature and has many industrial applications. An HFS scheduling problem is an extended form of classical flow shop in which parallel machines are available to perform the same operation. It can be briefly described as follows: a set of jobs has to be processed on a set of processing centers. Each machine centre consists of a set of identical parallel machines, and the non-pre-emptive processing of a job has to be done on exactly one of the machines of each centre. In other words, each job consists of a sequence of operations processed at successive centers and all jobs pass through centers in the same order.

It is apparent that there is a large gap between the literature of scheduling and the real life industry. For instance, many of researchers have ignored setup times or assumed that setup times on each machine are independent of the job sequence (Zandieh, Fatemi Ghomi, & Moattar Hussein, 2006). Zandieh et al. (2006) illustrated schematically

the relationships between the different machine environments of scheduling problems. A practical assumption of this research is that the Sequence-Dependent Setup Times (SDST) are required when a switch between two different jobs occurs (Naderi, Zandieh, & Roshanaei, 2008). The application of SDST could be seen in many real-life situations such as chemical, printing, pharmaceutical, and automobile manufacturing (Mousavi, Zandieh, & Amiri, 2011).

Pinedo (1995) (3) discussed that machine setup time is a critical factor for production scheduling easily consuming more than 20% of available machine capacity if not well handled. Scheduling problems with sequence-dependent setup times are among the most difficult classes of scheduling problems. Even for a small system, the complexity of this problem is beyond the reach of existing theories (Luh, Gou, Zhang, Nagahora, Tsuji, & Yoneda, 1998).

Sequence-dependent setup scheduling of a hybrid flow shop system is even a challenging issue of hybrid flow shop scheduling problems in which a time lag is defined between the end of the processing of one job at one machine inside one stage and the beginning in the next stage in which the job is processed. Although there has been some progress reported in this field, the understanding of sequence-dependent setups, however, is still believed to be far from being complete (Luh, Gou, Zhang, Nagahora, Tsuji, & Yoneda, 1998).

In many industrial scheduling practices, managers develop schedules based on multi criteria and have to decide the due dates and processing times as parts of scheduling activities. Further, in practical scheduling situations, there are multiple machines in each centre and the objective function often reflects the total cost of processing, earliness and tardiness (Gupta, Kruger, Lauff, Werner, & Sotskov, 2002).

28 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:  
[www.igi-global.com/chapter/investigating-the-efficiency-of-grasp-for-the-sdst-hfs-with-controllable-processing-times-and-assignable-due-dates/82704](http://www.igi-global.com/chapter/investigating-the-efficiency-of-grasp-for-the-sdst-hfs-with-controllable-processing-times-and-assignable-due-dates/82704)

## Related Content

---

### Test Data Generation Based on Test Path Discovery Using Intelligent Water Drop

Praveen Ranjan Srivastava, Amitkumar Patel, Kunal Patel and Prateek Vijaywargiya (2012). *International Journal of Applied Metaheuristic Computing* (pp. 56-74).

[www.irma-international.org/article/test-data-generation-based-test/67334](http://www.irma-international.org/article/test-data-generation-based-test/67334)

### Dynamic Document Clustering Using Singular Value Decomposition

Rashmi Nadubeedirameshand Aryya Gangopadhyay (2012). *International Journal of Computational Models and Algorithms in Medicine* (pp. 27-55).

[www.irma-international.org/article/dynamic-document-clustering-using-singular-value-decomposition/79915](http://www.irma-international.org/article/dynamic-document-clustering-using-singular-value-decomposition/79915)

### Algorithmic Power and Digital Colonialism in the Age of Inequality and Resistance: How Algorithms Reshape Power and Digital Life

S. Yoganathan, Ravishankar S. Ulle, Bharath Sampath, Shashi Kant Dikshit and Balaji Gopalan (2026). *Digital Ideologies in the Age of Algorithmic Culture* (pp. 115-150).

[www.irma-international.org/chapter/algorithmic-power-and-digital-colonialism-in-the-age-of-inequality-and-resistance/407326](http://www.irma-international.org/chapter/algorithmic-power-and-digital-colonialism-in-the-age-of-inequality-and-resistance/407326)

### Three Scenarios in Microgrid to Solve Management Problem for Residential Application Using Genetic Algorithms

Faisal A. Mohamed (2014). *Handbook of Research on Novel Soft Computing Intelligent Algorithms: Theory and Practical Applications* (pp. 568-588).

[www.irma-international.org/chapter/three-scenarios-in-microgrid-to-solve-management-problem-for-residential-application-using-genetic-algorithms/82705](http://www.irma-international.org/chapter/three-scenarios-in-microgrid-to-solve-management-problem-for-residential-application-using-genetic-algorithms/82705)

### Seamless Optimized LTE Based Mobile Polar Decoder Configuration for Efficient System Integration, Higher Capacity, and Extended Signal Coverage

Makarand Mohan Jadhav, Ganesh G. Dongre and Ashok M. Sapkal (2019). *International Journal of Applied Metaheuristic Computing* (pp. 68-90).

[www.irma-international.org/article/seamless-optimized-lte-based-mobile-polar-decoder-configuration-for-efficient-system-integration-higher-capacity-and-extended-signal-coverage/234673](http://www.irma-international.org/article/seamless-optimized-lte-based-mobile-polar-decoder-configuration-for-efficient-system-integration-higher-capacity-and-extended-signal-coverage/234673)