IDEA GROUP PUBLISHING



Copyrig

701 E. Chocolate Avenue, Hershey PA 17033-1117, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com **ITB8004**

Chapter XII right Idea Group Inc.

Semantically Modeled Databases in Integrated Enterprise Information

Systems

Cheryl L. Dunn Florida State University, USA

Severin V. Grabski Michigan State University, USA

INTRODUCTION

Group Inc. In the past several years, huge investments have been made in enterprise resource planning (ERP) systems and related applications. While the integrated database and data warehouse in such systems provides value, more value could be realized if the databases could more semantically reflect the underlying reality of the organization. Inter-enterprise commerce can be facilitated with the use of ontologically based systems with common semantics (Geerts and McCarthy, 2000; Haugen and McCarthy, 2000) instead of reliance on electronic data interchange (EDI) standards. This chapter presents a normative semantic model for enterprise information systems that has its roots in transaction processing information systems. Empirical research on semantically modeled information systems is reviewed and an example company's semantic model is provided as a proof of concept. This model is used as the basis for a discussion of its application to ERP systems and to inter-organizational systems. Future trends and research directions are also discussed.

This chapter appears in the book, Developing Quality Complex Database Systems: Practices, Techniques and Technologies by Shirley Becker. Copyright © 2001, Idea Group Publishing.

Semantically modeled databases require their component objects to correspond closely to real-world phenomena and preclude the use of artifacts as system primitives (Dunn and McCarthy, 1997). Semantically modeled enterprise information systems allow for full integration of all system components centered on a single integrated database and facilitate the joint use of information by decision-makers. Researchers have advocated semantically designed information systems because they provide benefits to individual decision-makers (Dunn and Grabski, 1998, 2000) and because they facilitate organizational productivity and inter-organizational communication (Cherrington et al., 1996; David, 1995; Geerts and McCarthy, 2000).

Many organizations have invested immense sums of money in enterprise resource planning (ERP) systems and associated "bolt-on," applications such as customer relationship management (CRM) and advanced planning systems (APS). Much of the value of these ERP systems is in the integrated database and the associated data warehouse that is implemented. Unfortunately, a significant portion of the value is lost if the database is not a semantic representation of the organization. This value is lost because relevant information needed to reflect the underlying reality of the organization's activities is either not stored in the system at all, or it is stored in such a way that the underlying reality is hidden or disguised and therefore can't be interpreted.

Ontologically based systems with common semantics are regarded as a necessity to facilitate inter-organizational information systems (Geerts and McCarthy, 2000). This is critical, as business-to-business e-commerce becomes a major component of the economy. Presently, most inter-organizational data is sent via EDI (which requires very strict specifications as to how the data are sequenced and requires some investment by adopting organizations). The same requirement holds true for Webbased systems. There is no or very limited knowledge inherent in those systems. Alternatively, if trading partners implement systems based on the same underlying semantic model, many of the current problems can be eliminated.

This chapter first presents a normative semantic model for enterprise information systems that has its roots in transaction processing information systems. We use this model because the majority of information processed and tracked by information systems is transactional in nature. We review empirical research on semantically modeled information systems and then provide an example company's semantic model as a proof of concept. Then, we discuss how this model can be applied to ERP systems and to inter-organizational systems. We present issues and controversies associated with the model and discuss how the single company model can be extended into an inter-organizational system. Finally, we present future trends and research directions associated with this model and with inter-organizational systems in general, and provide concluding comments.

SEMANTIC MODEL DEVELOPMENT

In this chapter, similar to David et al. (1999), we are interested in an information system that captures, stores, manipulates and presents data about an organization's

22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/semantically-modeled-databases-</u>

integrated-enterprise/8280

Related Content

A Systematic Approach to Flexible Specifications, Composition, and Restructuring of Workflow Activities

Ling Liu, Carlton Puand Duncan Ruiz (2004). *Journal of Database Management (pp. 1-40).*

www.irma-international.org/article/systematic-approach-flexible-specifications-composition/3304

The Management of Evolving Engineering Design Constraints

T. W. Carnduffand J. S. Goonetillake (2006). *Database Modeling for Industrial Data Management: Emerging Technologies and Applications (pp. 62-114).* www.irma-international.org/chapter/management-evolving-engineering-design-constraints/7889

Database Cooperation: Classification and Middleware Tools

Paolo Atzeni, Luca Cabibboand Giansalvatore Mecca (2000). *Journal of Database Management (pp. 3-11).*

www.irma-international.org/article/database-cooperation-classification-middleware-tools/3248

Enabling Resource Access Visibility for Automated Enterprise Services

Kaushik Duttaand Debra VanderMeer (2014). *Journal of Database Management (pp. 1-28).*

www.irma-international.org/article/enabling-resource-access-visibility-for-automated-enterpriseservices/117742

Representing Classes of Things and Properties in General in Conceptual Modelling: An Empirical Evaluation

Graeme Shanks, Daniel Moody, Jasmina Nuredini, Daniel Tobinand Ron Weber (2010). *Journal of Database Management (pp. 1-25).*

www.irma-international.org/article/representing-classes-things-properties-general/42083