

Chapter 22

How Ants Can Efficiently Solve the Generalized Watchman Route Problem

Paweł Paduch

Kielce University of Technology, Poland

Krzysztof Sapiecha

Kielce University of Technology, Poland

ABSTRACT

This paper presents a new algorithm for solving the generalized watchman problem. It is the problem of mobile robot operators that must find the shortest route for the robot to see the whole area with many obstructions. The algorithm adapts the well-known ant algorithm to the new problem. An experiment where the algorithm is applied to an area containing more than 10 obstructions is described. It proves that efficiency and accuracy of the algorithm are high.

INTRODUCTION

Problems of watching and guarding have been investigated for many years. The problem of how many static guards must be used to watch the whole art gallery built of n vertices (The Art Gallery Problem) was the first one. It was stated in 1973 and solved analytically in 1975 (Chvátal). Then, many different variants of the problem were formulated. Firstly, different requirements for guards, concerning their placement and behavior were taken into account. Next, new shapes of

areas watched by guards were assumed. Finally, both static and mobile guards were used. With time this has become more and more complex. Nevertheless, for polygon areas without holes analytical solutions were usually found. Detailed classification of the variants and the solutions is presented in the next section of the paper.

Watchman Route Problem (WRP) aims to find the shortest route in a polygon with holes (obstructions) such that all points of the polygon are visible from that route is the most complicated of the variants. It is NP-hard even if the holes are convex which was proved by Chin and Ntafos (1991). Therefore, it has usually been ignored.

DOI: 10.4018/978-1-4666-4607-0.ch022

Nowadays, the progress in technology of mobile robots stimulates searching for a solution of WRP.

To give people comfort and security, robots steadily replace human beings in heavy, arduous or dangerous works. In the area of security and surveillance there are many applications where mobile robots (mobots) are involved (Robotics Trends, 2010). Mobots can be used in buildings to search for bombs that were planted by terrorists. They can also be used for searching victims after disasters, guarding dangerous areas, watching buildings or mines which are likely to collapse, and in many similar situations. The shorter path mobots chose to watch the area the greater chance of survival (for both, victims and constructions). Even if human life is not in danger, shortening a path of guarding could minimize the cost of energy or time of exploration of the area.

Recently, mobots have become more and more independent. They can move from one place to another without human assistance. This depends only on data coming from mobot's camera or any device investigating environment. They may be endowed with strategies of operation or even artificial intelligence (Ali, Ghaffari, Liao, & Hall, 2006). However, when a mobot should select the shortest route between two places in an area with many different obstructions, then the task becomes much more complicated. Operators may remotely control mobots or programmers may put the route in mobot's memory. Nevertheless, the route must be found.

In the real world, areas of operation of mobots are much more complicated than simple rooms with small number of polygons. Even if obstructions could be approximated with the help of polygons, their number and configurations might be unlimited. Hence, the WRP, generalized for mobots (MRP) is a real challenge for researchers.

In the paper a new approach to solve the MRP is presented. It is based on Ant Colony Optimization (ACO) (Dorigo & Stützle, 2004). The paper is organized as follows: related work is presented, the problem is stated, adaptation of the ant algo-

rithm for solving the problem is presented, and experimental results are discussed. The paper ends with conclusions.

RELATED WORK

Watchman Route Problem

Problems of searching and guarding have been investigated for many years. The first was The Art Gallery Problem. In 1973 Victor Klee asked Václav Chvátal how many static guards must be used to watch the whole art gallery built of n vertices. Chvátal (1975) proved that $n/3$ guards are enough. The proof was then simplified by Fisk (1978). From that time many varieties of the problem have been formulated. They are as follows:

1. **Watched Guard Problem:** Guards must see each other. Michael and Pinciu (2003) and independently Żyliński (2002) proved that $(3n-1)/7$ guards are sufficient and in some cases necessary to guard the whole polygon as well to see each other. Moreover, Żyliński proved that for spiral shape polygons only $2n/5$ it is needed and for star shape polygons $(3n-1)/7$ static guards is needed, but only if $n \geq 5$.
2. **Fortress Problem:** A variant of the outer guarding, where guards must see polygon from outside. It is divided into sub-problems including:
 - a. **Vertex Guards:** Guards are placed on vertices of the polygon. This is easy to prove that $n/2$ guards are necessary (for example when considering a convex polygon).
 - b. **Point Guards:** Guards are placed anywhere. Aggarwal and O'Rourke proved in 1984 that $n/3$ guards are sufficient and in some cases necessary (O'Rourke, 1987).

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/how-ants-can-efficiently-solve-the-generalized-watchman-route-problem/84907

Related Content

Empires of the Future: Libraries, Technology, and the Academic Environment

Denise A. Garofalo (2013). *Robots in Academic Libraries: Advancements in Library Automation* (pp. 180-206).

www.irma-international.org/chapter/empires-future-libraries-technology-academic/76465

Experimental Study of Laser Interferometry Based Motion Tracking of a Flexure-Based Mechanism

Umesh Bhagat, Bijan Shirinzadeh and Yanling Tian (2013). *Advanced Engineering and Computational Methodologies for Intelligent Mechatronics and Robotics* (pp. 165-178).

www.irma-international.org/chapter/experimental-study-laser-interferometry-based/76447

2D Shape Recognition and Retrieval Using Shape Contour Based on the 8-Neighborhood Patterns Matching Technique

Muzameel Ahmed and Manjunath Aradhya (2019). *International Journal of Synthetic Emotions* (pp. 49-61).

www.irma-international.org/article/2d-shape-recognition-and-retrieval-using-shape-contour-based-on-the-8-neighborhood-patterns-matching-technique/243686

A Non-Linear Stiffness Model for Serial and Parallel Manipulators

Manoj Kumar (2017). *International Journal of Robotics Applications and Technologies* (pp. 34-62).

www.irma-international.org/article/a-non-linear-stiffness-model-for-serial-and-parallel-manipulators/176935

An Improved Method for Restoring the Shape of 3D Point Cloud Surfaces

Sinh Van Nguyen, Ha Manh Tran and Minh Khai Tran (2018). *International Journal of Synthetic Emotions* (pp. 37-53).

www.irma-international.org/article/an-improved-method-for-restoring-the-shape-of-3d-point-cloud-surfaces/214875