Cuckoo Search Algorithm for Solving Real Industrial Multi-Objective Scheduling Problems

Mariappan Kadarkarainadar Marichelvam

Mepco Schlenk Enginering College, India

Mariappan Geetha

Kamaraj College of Engineering and Technology, India

INTRODUCTION


Scheduling is an essential task in our day-to-day life that helps us to shape up our daily activities. The arrival and the departure of airplanes have to be scheduled in an airport. The class hours and the examinations are scheduled in the schools and Universities. Schedules are prepared in industries too. Today, industries need meticulous planning and scheduling to meet the customer demands. Due to globalization and liberalization the attributes of the customers have changed. Hence, industries ought to satisfy them by improving the quality, reducing the price and despatching the goods on time. Scheduling is one of the most important decision making processes. Scheduling is defined as a process of allocating resources over time to perform the assigned tasks effectively (Baker & Trietsch 2009). The machines, equipment, facilities, computers and operators are the important resources in all organizations. Effective scheduling leads to improve the productivity, reduce the inventory, improve the production efficiency, minimize the production time and cost and hence increase the efficiency of the production system. Different types of scheduling environments were addressed by Pinedo (1995). Among them the hybrid flow shop (HFS) environment plays a vital role as many industries resemble it. The HFS has also been called as a flexible flowshop, multiprocessor flow shop, flexible flow line, flow shop with multiple processors or a flow shop with

parallel machines by Ribas et al. (2010). Different operations are performed in different machines in a simple flow shop. The HFS consists of a set of production stages in which each stage has multiple parallel machines. An HFS consists of both the flow shop and parallel machine environments. The parallel machine scheduling system involves the scheduling of a set of immediately available jobs, each on one of the parallel machines. The simple flow shop scheduling system is described as the sequencing of a set of immediately available jobs through each of the ordered work centers. There are two or more work centers in this system but only one machine at each work center. In the HFS, some stages may have only one machine. But, at least one stage should have two or more parallel machines. The machines may be identical, uniform or non-uniform. Some of the jobs may skip some of the stages in the HFS environment. The jobs flow in unidirectional in the HFS environment. Though many researchers have addressed the HFS scheduling problems for more than 40 years, only a few researchers have addressed the real-industrial scheduling problems with multiple objectives which are conflicting naturally with each other. Hence, in this paper a bi-objective HFS scheduling problem is considered. The objective is to minimize the makespan and mean flow time. The layout of an M-stage hybrid flow shop environment is given in figure 1.

Hoogeveen et al. (1996) proved that a two-stage hybrid flow shop scheduling problem is NP-hard

DOI: 10.4018/978-1-5225-2255-3.ch379

Figure 1. Layout of the hybrid flow shop environment



in the strong sense even if there is only one machine on the first stage and two machines on the second stage. Hence, we cannot find the optimal solutions for these problems in a reasonable time. As the hybrid flow shop scheduling problems are NP-hard problems, the problems cannot be solved by exact algorithms. Researchers proposed many heuristics and meta-heuristics to solve the hybrid flow shop scheduling problems. Cuckoo search algorithm is a recently developed meta-heuristic algorithm. In this chapter, the cuckoo search algorithm is proposed to solve the multi-objective hybrid flow shop scheduling problems.

BACKGROUND

Hybrid flow shop scheduling problem was first proposed by Arthanari and Ramamurthy (1971). Researchers have developed many heuristics and meta-heuristics to solve such problems and to obtain optimal or near optimal solutions with considerably less computational time. Lee and Vairaktarakis (1994) proposed heuristics to minimize makespan for hybrid flow shop scheduling problems. Riane et al. (1998) proposed efficient heuristics to minimize makespan for a three-stage flow shop problem. Brah and Loo (1999) proposed a heuristic for flow shop scheduling problems with multiple processors. Oğuz et al. (2003) also proposed some heuristics to solve multiprocessor

task scheduling in a two-stage flow shop scheduling problems.

Recently, many meta-heuristics have been widely applied for solving the hybrid flow shop scheduling problems. Engin and Döyen (2004) proposed an artificial immune system algorithm for solving the hybrid flow shop scheduling problems to minimize the makespan. Yang et al. (2004) applied the tabu search simulation optimization algorithm to solve the multiprocessor flow shop scheduling problems. They applied the algorithm to solve the scheduling problem of a ceramic capacitor manufacturing company. Oğuz and Ercan (2005) have presented a genetic algorithm for the hybrid flow shop scheduling problems with multiprocessor tasks. They used a local search algorithm as a decode method to obtain the objective function value. They also proposed a new crossover operator in their work. Ruiz and Maroto (2006) have also addressed a genetic algorithm that consists of various new crossover operators to minimize makespan for the hybrid flow shop scheduling problems. The sequence dependent setup time and machine eligibility were considered by them. Ying and Lin (2006) developed an ant colony system (ACS) approach to solve the hybrid flow shop scheduling problems. Alaykýran et al. (2007) also proposed an improved ant colony optimization algorithm to minimize makespan for multistage hybrid flow shop scheduling problems. Jungwattanakit et al. 11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/cuckoo-search-algorithm-for-solving-real-industrial-multi-objective-scheduling-problems/184144

Related Content

Existential Aspects of the Development E-Culture

Liudmila Vladimirovna Baeva (2018). Encyclopedia of Information Science and Technology, Fourth Edition (pp. 4189-4198).

www.irma-international.org/chapter/existential-aspects-of-the-development-e-culture/184126

Diagnosing and Redesigning a Health(y) Organisation: An Action Research Study

Christoph Rosenkranz, Marcus Laumannand Roland Holten (2009). *International Journal of Information Technologies and Systems Approach (pp. 33-47).*

www.irma-international.org/article/diagnosing-redesigning-healthy-organisation/2545

A Domain Specific Modeling Language for Enterprise Application Development

Bahman Zamaniand Shiva Rasoulzadeh (2018). *International Journal of Information Technologies and Systems Approach (pp. 51-70).*

www.irma-international.org/article/a-domain-specific-modeling-language-for-enterprise-application-development/204603

Illness Narrative Complexity in Right and Left-Hemisphere Lesions

Umberto Giani, Carmine Garzillo, Brankica Pavicand Maria Piscitelli (2016). *International Journal of Rough Sets and Data Analysis (pp. 36-54).*

www.irma-international.org/article/illness-narrative-complexity-in-right-and-left-hemisphere-lesions/144705

Experiment Study and Industrial Application of Slotted Bluff-Body Burner Applied to Deep Peak Regulation

Tianlong Wang, Chaoyang Wang, Zhiqiang Liu, Shuai Maand Huibo Yan (2024). *International Journal of Information Technologies and Systems Approach (pp. 1-15).*

www.irma-international.org/article/experiment-study-and-industrial-application-of-slotted-bluff-body-burner-applied-to-deep-peak-regulation/332411