

Chapter 3.11

Mobile Clinical Learning Tools Using Networked Personal Digital Assistants (PDAs)

Bernard Mark Garrett

University of British Columbia, Canada

INTRODUCTION

The School of Nursing at the University of British Columbia has more than 300 nursing students engaged in supervised clinical practice in hospital and community settings around Vancouver. Likewise, the Faculty of Medicine has more than 200 medical students undertaking supervised clinical experience locally and remotely in the Prince George and Vancouver Island regions. The management of these clinical experiences and the promotion of learning while in an active clinical setting is a complex process.

BACKGROUND

Supporting the students at a distance while undertaking their clinical experience is particularly resource-intensive. It requires the creation and maintenance of good communication links with the clinical and administrative staff, active management, clinical visits from faculty, and the provision and management of remotely based

resources. However, there were few existing resources that helped to contextualize and embed clinical knowledge in the workplace in the practice setting (Landers, 2000). A technological solution was developed and implemented using several clinical applications designed for use on personal digital assistants (PDAs).

MOBILE CLINICAL LEARNING TOOLS

A suite of PDA-based tools were created for a pilot study with the involvement of nursing and medical students during the academic year of 2004-2005 to achieve the following objectives:

- To demonstrate the potential use of mobile networked technologies to support and improve clinical learning.
- To develop and evaluate a range of mobile PDA tools to promote reflective learning in practice and to engage students in the process of knowledge translation.

- To develop and evaluate a suite of pedagogic tools that help contextualize and embed clinical knowledge while in the workplace.
- To evaluate the value of networked PDA resources to help prevent the isolation of students while engaged in clinical practicum.

The tools developed provide a mobile clinical learning environment incorporating an e-portfolio interface for the Pocket PC/Windows Mobile (Microsoft, 2004) operating system. They were implemented on i-mate PDAs equipped with GSM/GPRS (Global System for Mobile Communications/General Packet Radio Service; GSM World, 2002). This platform offered considerable flexibility for the project. It supported the use of cellular telephone connectivity and Pocket Internet Explorer Web browser (which has a full Internet browser with support for HTML, XML/XSL, WML, cHTML, and SSL); the i-mate device had sufficient memory for the storage of text, audio, image, and video data, with a large screen and a user-friendly interface with an integrated digital camera.

The tools included a mobile e-portfolio (with a multimedia interface) designed to promote professional reflection (Chasin, 2001; Fischer et al., 2003; Hochschuler, 2001; Johns, 1995; Kolb, 1984). These mobile learning tools were designed to promote the skills of documentation of clinical learning, active reflection, and also to enable students to immediately access clinical expertise and resources remotely. Community clinical placements are being used for the testing domain, as there are currently no restrictions on using cellular network technology in these areas, whereas this is currently restricted in acute hospital settings in British Columbia and many other parts of the world.

THE PDA INTERFACE DESIGN

The main interface to the clinical tools was based on a clinical e-tools folder on the Pocket PC containing icon-based shortcuts to a number of specific applications (Figure 1).

The clinical e-portfolio tool represented the major focus for the project, allowing the student to access clinical placement information; log clinical hours; achieve clinical competencies; record portfolio entries in the form of text, pictures, or video clips; and record audio memos. This provides the user with a very adaptable interface, allowing them to choose how they input data. For example, a text-based entry describing a clinical procedure may be accompanied by a picture or audio memo.

The e-portfolio tool also incorporates a reflective practice wizard promoting the students to work through the stages of the Gibbs reflective cycle (Gibbs, 1988) when recording their experiences. This wizard also allows students to record their experiences with multimedia, including text, audio, digital images, or video input. Once the data have been recorded in the e-portfolio, they can be synchronized wirelessly (using the built-in GSM/GPRS or Bluetooth connectivity) with a Web-based portfolio. The data then can be reviewed and edited by the student or by clinical tutors.

The other icons represent the following applications:

- The synch portfolio icon initiates synchronization of the content of the student's e-portfolio on the PDA with that of a remote server.
- The University of British Columbia (UBC) library icon presents a shortcut to a Pocket Internet Explorer Web access to the UBC library bibliographic health care database search (CINAHL, Medline, etc.).

3 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/mobile-clinical-learning-tools-using/26262

Related Content

Third Generation (3G) Cellular Networks in Telemedicine: Technological Overview, Applications, and Limitations

Konstantinos Perakis (2009). *Handbook of Research on Distributed Medical Informatics and E-Health* (pp. 241-259).

www.irma-international.org/chapter/third-generation-cellular-networks-telemedicine/19938

Recognition of Emotions in Gait Patterns Using Discrete Wavelet Transform

N. M. Khair, Hariharan Muthusamy, S. Yaacob and S. N. Basah (2012). *International Journal of Biomedical and Clinical Engineering* (pp. 86-93).

www.irma-international.org/article/recognition-emotions-gait-patterns-using/73696

A Measure to Detect Sleep Onset Using Statistical Analysis of Spike Rhythmicity

B.R. Purnima, N. Sriraam, U. Krishnaswamy and K. Radhika (2014). *International Journal of Biomedical and Clinical Engineering* (pp. 27-41).

www.irma-international.org/article/a-measure-to-detect-sleep-onset-using-statistical-analysis-of-spike-rhythmicity/115883

Ubiquitous Risk Analysis of Physiological Data

Daniele Apiletti (2009). *Handbook of Research on Distributed Medical Informatics and E-Health* (pp. 478-492).

www.irma-international.org/chapter/ubiquitous-risk-analysis-physiological-data/19955

Application of Prewhitening Beamformer with Linear Constraints for Correlated EEG Signal Source Estimation

Teruyoshi Sasayama, Shoji Hamada and Tetsuo Kobayashi (2013). *Biomedical Engineering and Cognitive Neuroscience for Healthcare: Interdisciplinary Applications* (pp. 243-254).

www.irma-international.org/chapter/application-prewhitening-beamformer-linear-constraints/69924