Chapter 32 Design of an Online Continuing Education Module: Herbal and Dietary Supplements Impact Warfarin Safety and Efficacy

Jennifer L. Strohecker Intermountain Medical Center, USA

> Wendy Athens University of Florida, USA

ABSTRACT

This chapter details the design of an online continuing education module (Quarterly Education Module, QEM) intended to educate more than one thousand clinicians in a large western U.S. healthcare system about Herbal and Dietary Supplement (HDS)-drug interactions and induce them to bridge the patient-physician communication gap. Despite the importance and relevance of the QEM and its successful pilot, this fully-developed QEM has a delayed launch due to the departure of its administrative champion.

The core instructional objective was a behavior change: Clinicians must ask patients about HDS use when taking a medical history and document this use in the medical record. HDS use is prevalent among Americans and sales are increasing. When taken in conjunction with prescription medications, HDSdrug interactions are common and may result in unexpected and serious patient harm. Patient's failure to report HDS use to their medical provider, and a provider's failure to ask specifically about HDS use, further complicate the picture.

DOI: 10.4018/978-1-4666-5780-9.ch032

ORGANIZATION BACKGROUND

The healthcare system for this project was a large, nonprofit health system based in the Intermountain West. It was comprised of 23 hospitals, dozens of clinics, and an independent health insurance plan. The healthcare system utilized electronic medical charting in both the inpatient and outpatient settings, and had gone "paperless" in almost all other areas of healthcare delivery. Likewise, ongoing clinician education was a requirement of each employee, and was disseminated through an online system (as OEMs) into individual user accounts quarterly. Typically, a clinician must complete three or four QEMs per quarter to maintain their continuing education requirements. Failure to complete assigned QEMs results in disciplinary action and potential termination. Thus, clinicians are motivated to complete their assigned OEMs. The presence of an established and integrated healthcare system which utilized an electronic system for charting and education made the dissemination of the HDS-drug interaction QEM straightforward within this organization. It also provided a means to receive feedback and measure behavior changes through data capture in a central repository.

SETTING THE STAGE

Patient safety was the impetus for clinician training within a large western U.S. healthcare organization. It was deemed crucial for a clinician to recognize that HDS use is common and underreported, and that this use may influence the efficacy and safety of drugs with a narrow safety window, such as warfarin. Warfarin (Coumadin®) is a gold standard anticoagulant for prevention of stroke and venous thromboembolism, yet many factors can influence warfarin safety and efficacy. Variations in diet, alcohol consumption, and drug or herbal supplement use may alter warfarin levels, leading to either bleeding complications or treat-

ment failure (stroke). Warfarin accounts for more emergency room visits than any other drug (Budnitz, 2007), and in 2009, the Joint Commission made the appropriate use of warfarin a National Patient Safety Goal (http://www.jointcommission. org/NR/rdonlyres/31666E86-E7F4-423E-9BE8-F05BD1CB0AA8/0/HAP_NPSG.pdf).

National surveys indicate that 50% of U.S. adults (>50 years) use Herbal and Dietary Supplements (HDS), and use may be greater in warfarin-treated patients (Strohecker, 2012). Of great concern is the lack of communication between patient and clinician about HDS use. Nearly two-thirds of Americans who use HDS, including warfarin-treated patients, fail to report use to their medical provider (Barnes, Bloom, & Nahin, 2008; Strohecker, 2012). This translates to the odds of 5.4 to 1, or 81% chance, that the patient is taking HDS and the clinician never asks about their use (Strohecker, 2012). This communication gap leaves room for dangerous drug-herb interactions, as the majority of most commonly used HDS have the potential to interact with warfarin (Strohecker, 2012).

To achieve compliance with the Joint Commission National Patient Safety Goal, standardized system-wide treatment protocols for anticoagulation management were implemented in the healthcare organization. When data became available that revealed the high frequency of HDS use among warfarin-treated patients, and the lack of communication between patient and physician, the decision was made to educate clinical staff on this important safety issue. More than 1000 clinical staff (physicians, nurses, and pharmacists) within the hospital network were to be educated via an online QEM. The QEM was established to facilitate job-specific training and competency assessment for hospital employees. Each employee receives assigned training in their personal educational profile on a quarterly basis. Completion of the assigned modules is required by the end of the quarter. As such, the QEM provided an effective delivery mechanism for the HDS training to the 8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/design-of-an-online-continuing-educationmodule/105266

Related Content

Transformative Learning Factors to Enhance Integral Healthy Organizations

Chanchai Thavinpipatkul, Archanya Ratana-Uboland Suwithida Charungkaittikul (2016). *International Journal of Adult Vocational Education and Technology (pp. 65-83).* www.irma-international.org/article/transformative-learning-factors-to-enhance-integral-healthy-organizations/153941

Application of Digital Technologies, Multimedia, and Brain-Based Strategies: Nurturing Adult Education and Lifelong Learning

Meei Tyng Chai, Aamir Saeed Malik, Mohamad Naufal Mohamad Saadand Mohammad Abdul Rahman (2021). *Research Anthology on Adult Education and the Development of Lifelong Learners (pp. 837-860).* www.irma-international.org/chapter/application-of-digital-technologies-multimedia-and-brain-based-strategies/279761

Training Faculty to Motivate Adult Learners Through Best Practices in Online Pedagogy

Elizabeth Gates Bradleyand Gloria Kramer-Gordon (2023). *Motivation and Momentum in Adult Online Education (pp. 87-103).*

www.irma-international.org/chapter/training-faculty-to-motivate-adult-learners-through-best-practices-in-online-pedagogy/322686

An Adult-Learner Approach to the Learning Design of Safety Management System Training in Aviation

Geraldine Torrisi-Steeleand Guido Carim Jr. (2019). International Journal of Adult Vocational Education and Technology (pp. 39-53).

www.irma-international.org/article/an-adult-learner-approach-to-the-learning-design-of-safety-management-systemtraining-in-aviation/233906

All-Possible-Subsets for MANOVA and Factorial MANOVAs: Less than a Weekend Project

Kim Nimon, Linda Reichwein Zientekand Amanda Kraha (2016). *International Journal of Adult Vocational Education and Technology (pp. 88-112).*

www.irma-international.org/article/all-possible-subsets-for-manova-and-factorial-manovas/154945