

Applying Social Network Analysis in a Healthcare Setting

Salvatore Parise
Babson College, USA

INTRODUCTION

The people-to-people relationships where knowledge work actually gets performed in organizations are called social networks, and they may be in complete contradiction to the information flows expected, based on looking at the organizational chart of formal roles or titles. These informal or social networks are playing an increasingly important role in the healthcare industry, as medical and clinical knowledge needs to be shared effectively between people within and among healthcare organizations. Social network analysis (SNA) is a research methodology to analyze networks between people, groups, organizations, and systems within and across organizations (Wasserman & Faust, 1994). The results of the analysis inform the researcher of both the structure of the network, as well as the positions of nodes or people in the network. This article provides a description of how SNA can be applied in a healthcare setting.

Organizations are increasingly relying on networks of people, groups, and other institutions collaborating with each other to perform knowledge-based work. This is especially true in knowledge-intensive industries, such as business consulting, technology, research, and petroleum, where work is project-based in structure and sharing information within and between teams is essential to performance. Also, much of the critical work in businesses today requires tacit knowledge, which, by definition, is difficult to codify and resides in the key experts of the organization (Polanyi, 1983). Therefore, connections to these experts are required in order to leverage their expertise, past experiences, and institutional memory.

These informal or social networks are playing an increasingly important role in the healthcare industry. With the continued advancements in medical treatments, the rapid dissemination and sharing of this information becomes vital. While treatment descriptions can be codified and put into a database that physicians can access, often physicians will call on their personal

relationships to understand the relevance, risks, and benefits of the latest medical knowledge. Physicians are turning to Web-based communities, such as sermo.com, to exchange, comment on, and rate others' postings on medical insights. Social networks are also vital to understanding the communication patterns, both between and within healthcare organizations. While traditionally operating as silos, these organizations recognize the need for improved access and sharing of clinical and medical research knowledge across their organizational boundaries. Within healthcare providers, social networks can reveal who are the key decision-makers or influencers pertaining to medical treatments, and the adoption of medical technology and information technology (IT), as well as determining if certain physicians are a bottleneck (or overburdened) when it comes to answering questions and disseminating information. Therefore a network perspective is vital to understanding how work gets performed in the healthcare industry.

BACKGROUND

There has been a dramatic rise recently in social network research in the management field (Borgatti & Foster, 2003). Network research has grown as a result of the importance of connections between people, groups, organizations, and IT systems. Network research has been used to study leadership (Brass & Krackhardt, 1999), entrepreneurship (Baron & Markman, 2003), knowledge management (Parise, Cross, & Davenport, 2006), individual performance (Mehra, Kilduff, & Brass, 2001), and team performance (Hansen, 1999). Social network analysis (SNA) is a structured methodology to analyze networks within and across organizations. The results of the analysis inform the researcher of both the structure of the network as well as people's positions within the network. Based on these findings, organizations can then develop interventions to produce the desired network effects. There has been limited research

in the healthcare setting, using SNA as a methodology. SNA has been used to study the interaction patterns in primary care practices (Scott, Tallia, Crosson, Orzano, Stroebel, DiCicco-Bloom, O'Malley, Shaw, & Crabtree, 2005), identify influential individuals who are critical to the successful implementation of medical informatics applications (Anderson, 2005), and study the relationship between communication density and the use of an electronic medical record system by nurse practitioners and physicians' assistants (Tallia, Stange, McDaniel, Aita, Miller, & Crabtree, 2003).

SNA allows us to analyze the relationships among actors or nodes in a network. Nodes can be people, organizations, and IT systems. Connections between nodes are called links and determine the relationships between nodes. Two common representations of networks are bounded networks and ego networks (Wasserman & Faust, 1994; Scott, 2000). In a bounded network, the nodes in the network are predetermined. When using bounded networks, the researcher will often look for silos or fragments in the network. This occurs when there is a breakdown in communication between structures, such as between departments or divisions. Attribute data, such as current job tenure, company tenure, job level, location, and functional area are often collected for each node in the network. This allows the researcher to analyze the structure of the bounded network, and determine if any of these dimensions are having a significant impact on its structure. Ego networks are those generated based on the perspective of an individual node or person in the network. Typically, in an ego network analysis, each respondent is asked to list nodes or actors pertaining to them specifically. The SNA researcher can then derive the network, based on the nodes listed by all respondents, as well as study any biases or gaps in an individual's personal network.

SNA researchers will typically analyze both the structure of the network as well as the role of individual nodes within the network. Density and centralization are two common metrics used to describe the entire network. Density is defined as the ratio of observed links or connections in a network to the maximum number of links possible if every node in the network was connected (Wasserman & Faust, 1994). Centralization refers to the degree to which links are concentrated in the network. The centralization metric is very useful in analyzing the degree to which there are "dominant" nodes in the network.

In addition to analyzing the network structure, the other major insight from doing an SNA analysis is to understand a node's role. Certain nodes in the network may be more central resulting in a more advantageous position. Individuals who are more central in the network have been found to have greater influence (Brass, 1984; Brass & Burkhardt, 1992), and have greater access and control of relevant information (Brass & Burkhardt, 1993; Krackhardt, 1990; Umphress, Labianca, Brass, Kass, & Scholten, 2003). In terms of identifying nodes with power or influence, central degree, and central betweenness metrics can be used. Degree centrality refers to the number of links going into ("in-degree") or coming out of ("out-degree") a node in a network (Freeman, 1979). Brokers in the context of SNA are used to describe nodes in the network that connect different subgroups. They may not have the most direct links, but they act as a conduit between departments, locations, and hierarchies. One common way to identify brokers is the betweenness centrality metric. Betweenness centrality for a particular node refers to the number of links that each other node in the network needs to go through that particular node to reach any other node in the network (Freeman, 1979).

SNA USE IN HEALTHCARE

Researchers can apply both a network perspective and the SNA methods to better understand the healthcare setting. In particular, there are two areas in healthcare that can benefit from a network approach: (1) analyzing medical and clinical information flows within and between healthcare organizations, and (2) identifying key "influencers" with respect to adopting medical treatments, medical technologies, and IT, or recommending referrals.

SNA can be used as an analytical tool to study interaction patterns within medical practices. It is critical to understand who the medical staff turn to for help regarding medical treatments, unstructured and complex problems, or decision-making. Great variations in organizational design exist in primary care practices (Tallia et al., 2003). Scott et al. (2005), for example, used SNA to study the decision-making patterns in two different medical practices, and found two vastly different organizational structures: one practice had a hierarchical structure where the practice leader had final decision-rights, while the other practice had

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/applying-social-network-analysis-healthcare/12927

Related Content

Electronic Patient Monitoring in Mental Health Services

Werner G. Stritzke and Andrew Page (2010). *Health Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 871-888).

www.irma-international.org/chapter/electronic-patient-monitoring-mental-health/49904

Detection of Kidney Diseases: Importance of Feature Selection and Classifiers

Waheeda I. Almayyan and Bareeq A. AlGhannam (2024). *International Journal of E-Health and Medical Communications* (pp. 1-21).

www.irma-international.org/article/detection-of-kidney-diseases/354587

Inventing the Future of E-Health

José Aurelio Medina-Garrido and María José Crisóstomo-Acevedo (2010). *Health Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1-7).

www.irma-international.org/chapter/inventing-future-health/49851

Conceiving Community Knowledge Records as e-Governance Concerns in Wired Healthcare Provision

Kam Hou VAT (2013). *User-Driven Healthcare: Concepts, Methodologies, Tools, and Applications* (pp. 1093-1111).

www.irma-international.org/chapter/conceiving-community-knowledge-records-governance/73881

An Android Mobile-Based Environmental Health Information Source for Malaysian Context

Lau Tiu Chung, Lau Bee Theng and H. Lee Seldon (2016). *E-Health and Telemedicine: Concepts, Methodologies, Tools, and Applications* (pp. 577-601).

www.irma-international.org/chapter/an-android-mobile-based-environmental-health-information-source-for-malaysian-context/138420