

Chapter 8.12

Enabling Programmable Ubiquitous Computing Environments: A Middleware Perspective

Christine Julien

The University of Texas at Austin, USA

Sanem Kabadayi

The University of Texas at Austin, USA

ABSTRACT

Emerging pervasive computing scenarios involve client applications that dynamically collect information directly from the local environment. The sophisticated distribution and dynamics involved in these applications place an increased burden on developers that create applications for these environments. The heightened desire for rapid deployment of a wide variety of pervasive computing applications demands a new approach to application development in which domain experts with minimal programming expertise are empowered to rapidly construct and deploy domain-specific applications. This chapter introduces the DAIS (Declarative Applications in Immersive Sensor networks) middleware that abstracts a heteroge-

neous and dynamic pervasive computing environment into intuitive and accessible programming constructs. At the programming interface level, this requires exposing some aspects of the physical world to the developer, and DAIS accomplishes this through a suite of novel programming abstractions that enable on-demand access to dynamic local data sources. A fundamental component of the model is a hierarchical view of pervasive computing middleware that allows devices with differing capabilities to support differing amounts of functionality. This chapter reports on our design of the DAIS middleware and highlights the abstractions, the programming interface, and the reification of the middleware on a heterogeneous combination of client devices and resource-constrained sensors.

INTRODUCTION

As networked computing capabilities become increasingly ubiquitous, we envision an instrumented environment that can provide varying amounts of information to applications supporting mobile users immersed within the network. While such a scenario relies on low-cost, low-power miniature sensors, it deviates from existing deployments of sensor networks, which are highly application-specific and generally funnel information to a central collection service for a single purpose. Instead, solutions for ubiquitous computing must target future scenarios in which multiple mobile applications leverage networked nodes opportunistically and unpredictably. To date, most application development for ubiquitous computing has been limited to academic circles. One significant barrier to the widespread development of ubiquitous computing applications lies in the increased complexity of the programming task when compared to existing distributed or even mobile situations. Sensor nodes, which provide computational platforms embedded in the environment, are severely resource-constrained, in terms of both computational capabilities and battery power, and therefore, application development must inherently consider low-level design concerns. This complexity, coupled with the increasing demand for ubiquitous applications, highlights the need for programming platforms (i.e., middleware) that simplify application development.

As will be described in more detail in later sections, much existing work in simplifying programming in sensor networks focuses on application-specific networks where the nodes are statically deployed for a particular task. Ubiquitous computing requires a more futuristic (but not unrealistic) scenario in which sensor networks become more general-purpose and reusable. While the networks may remain domain-specific, ubiquitous computing applications that will be deployed are not known *a priori* and may

demand varying capabilities from the environment. Finally, existing applications commonly assume that sensor data is collected at a central location to be processed and used in the future and/or accessed via the Internet. Applications for ubiquitous computing, however, involve users immersed in a network environment who access locally sensed information on demand. This is exactly the vision of pervasive computing environments (Weiser, 1991), in which sensor networks must play an integral role (Estrin, Culler, Pister, & Sukhatme, 2002).

While this style of interaction is common in many application domains, we will refer to applications from the first responder domain, which provides a unique and heterogeneous mix of embedded and mobile devices. The former includes fixed sensors in buildings and environments that are present regardless of crises and ad hoc deployments of sensors that responders may distribute when they arrive. Mobile devices include those moving within vehicles, carried by responders, and even autonomous robots that may perform exploration and reconnaissance.

In this chapter, we will first demonstrate that immersive networks built of tiny sensing and actuating devices are an essential component of the vision of ubiquitous computing. We will carefully define what we mean by immersive networks and highlight how the definition differs from traditional uses of such technologies. Because these networks deviate so significantly from existing application environments, constructing tailored, adaptive applications necessary for ubiquitous computing is difficult. We will demonstrate this complexity through a handful of example applications and then provide a detailed survey of existing approaches to simplifying the development of ubiquitous computing applications that rely on immersive sensor networks. Following this survey of existing technologies, we will introduce a new paradigm for programming ubiquitous immersive networks that not only simplifies the programming task, but also improves the performance of

25 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/enabling-programmable-ubiquitous-computing-environments/22412

Related Content

An Extension to Simulated Web-Based Threats and Their Impact on Knowledge Communication Effectiveness

Ruth Chatelain-Jardon, Jesus S. Carmona and Ned Kock (2016). *International Journal of Technology and Human Interaction* (pp. 64-77).

www.irma-international.org/article/an-extension-to-simulated-web-based-threats-and-their-impact-on-knowledge-communication-effectiveness/158142

Digital Diorama: An Interactive Multimedia Resource for Learning the Life Sciences

Annamaria Poli, Annastella Gambini, Antonella Pezzotti, Alfredo Broglia, Alessandra Mazzola, Sabrina Muschiato, Carlo Emilio Standoli, Daniela Zambarbieri and Fiammetta Costa (2018). *Optimizing Human-Computer Interaction With Emerging Technologies* (pp. 52-82).

www.irma-international.org/chapter/digital-diorama/183384

The Role of the Organizational Context in the Use of a Workflow System: Lessons from a Case Study

Anabela Sarmiento (2003). *Computing Information Technology: The Human Side* (pp. 201-219).

www.irma-international.org/chapter/role-organizational-context-use-workflow/6938

Analyzing Social Emotions in Social Network Using Graph Based Co-Ranking Algorithm

Kani Priya, Krishnaveni R., Krishnamurthy M. and Bairavel S. (2020). *International Journal of Technology and Human Interaction* (pp. 23-33).

www.irma-international.org/article/analyzing-social-emotions-in-social-network-using-graph-based-co-ranking-algorithm/247035

Human Factors: An Authentic Learning Mobile Application Design Project in a Higher Education and Industry Context

Emily Cooney, Nicole Martonik, Lauren Kolber, Emalee Sekely and William J. Gibbs (2021). *Human Factors Issues and the Impact of Technology on Society* (pp. 48-77).

www.irma-international.org/chapter/human-factors/281748