

Chapter 2.13

Interface Design Issues for Mobile Commerce

Susy S. Chan

DePaul University, USA

Xiaowen Fang

DePaul University, USA

INTRODUCTION

Effective interface design for mobile handheld devices facilitates user adoption of mobile commerce (m-commerce). Current wireless technology poses many constraints for effective interface design. These constraints include limited connectivity and bandwidth, diverse yet simplistic devices, the dominance of proprietary tools and languages, and the absence of common standards for application development.

The convergence of mobile Internet and wireless communications has not yet resulted in major growth in mobile commerce. Consumer adoption of m-commerce has been slow even in countries such as Finland, which have broadly adopted wireless technology (Anckar & D’Incau, 2002). An international study of mobile handheld devices and services suggests that mobile commerce is at a crossroads (Jarvenpaa, Lang, Takeda & Tuunainen, 2003). The enterprise and business use of wireless technology holds greater promise,

but it demands the transformation of business processes and infrastructure. Poor usability of mobile Internet sites and wireless applications for commerce activities stands out as a major obstacle for the adoption of mobile solutions. For example, even with the latest 3G phones in Japan, consumers still find the small screen display and small buttons on these devices difficult to use (Belson, 2002).

BACKGROUND

Mobile Commerce

Mobile commerce broadly refers to the use of wireless technology, particularly handheld mobile devices and mobile Internet, to facilitate transaction, information search, and user task performance in business-to-consumer, business-to-business, and intra-enterprise communications (Chan & Fang, 2003). Researchers have proposed

several frameworks for the study of m-commerce. Varshney and Vetter's framework (2001) presents 12 classes of m-commerce applications, ranging from retail and online shopping, auction, mobile office, and entertainment to mobile inventory emphasizing the potential of mobile B2B and intra-enterprise applications. The framework by Kannan, Chang, and Whinston (2001) groups mobile services into goods, services, content for consumer e-commerce, and activities among trading partners.

Waters (2000) proposes two visions for the potential and opportunities of m-commerce. One perspective argues that the mobile, wireless channel should be viewed as an extension of the current e-commerce channel or as part of a company's multi-channel strategies for reaching customers, employees, and partners. The second, more radical view suggests that m-commerce can create markets and business models.

Recent development in m-commerce has substantiated the first perspective. Major e-commerce sites have implemented their mobile Internet sites as an extension of wired e-commerce to support existing customers (Chan & Lam, 2004; Chan et al., 2002). Consumers have shown relatively low willingness to use m-commerce, but adopters of e-commerce are more likely to embrace this new technology (Anckar & D'Incau, 2002). Furthermore, perceived difficulty of use can affect consumers' choice of m-commerce as a distribution channel (Shim, Bekkering & Hall, 2002). These findings suggest that in a multi-channel environment, m-commerce *supplements* e-commerce instead of becoming a *substitute* for e-commerce.

Enterprise and business applications of m-commerce technologies seem to hold greater promise, because it is easier for companies to standardize and customize applications and devices to enhance current work processes. An Ernst & Young study (2001) of the largest companies in Sweden shows that, except for the retail industry sector, most industries have viewed m-commerce

as being vital for growth and efficiency strategies, but not necessarily for generating new revenue. However, integrating the wireless platform in an enterprise requires significant structural transformation and process redesign.

Research on Wireless Interface Design

Several recent studies have examined interface design for mobile applications using handheld devices. Researchers have found that direct access methods were more effective for retrieval tasks with small displays (Jones, Marsden, Mohd-Nasir, Boone & Buchanan, 1999). Novice WAP phone users perform better when using links instead of action screens for navigation among cards, and when using lists of links instead of selection screens for single-choice lists (Chittaro & Cin, 2001). Ramsay and Nielsen (2000) note that many WAP usability problems echo issues identified during the early stage of Web site development for desktop computers, and could be alleviated by applying good user interface design. Such design guidelines for WAP applications include: (1) short links and direct access to content, (2) backward navigation on every card, (3) minimal level of menu hierarchy, (4) reduced vertical scrolling, (5) reduced keystrokes, and (6) headlines for each card (Colafigi, Inverard & Martriccian, 2001; Buchanan et al., 2001). Buyukkokten, Garcia-Molina, and Paepcke (2001) have found that a combination of keyword and summary was the best method for Web browsing on PDA-like handheld devices.

Diverse form factors have different interface requirements. The study by Chan et al. (2002) of 10 wireless Web sites across multiple form factors reveals that user tasks for the wireless sites were designed with steps similar to the wired e-commerce sites, and were primarily geared towards experienced users. Many usability problems, such as long download and broken connections, information overload, and excessive horizontal and vertical scrolling, are common to three

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/interface-design-issues-mobile-commerce/26527

Related Content

Intrusion Detection in Vehicular Ad-Hoc Networks on Lower Layers

Chong Han, Sami Muhaidat, Ibrahim Abualhaol, Mehrdad Dianati and Rahim Tafazolli (2014). *Security, Privacy, Trust, and Resource Management in Mobile and Wireless Communications* (pp. 148-174).

www.irma-international.org/chapter/intrusion-detection-in-vehicular-ad-hoc-networks-on-lower-layers/86305

Mutation Testing Applied to Object-Oriented Languages

Pedro Delgado-Pérez, Inmaculada Medina-Bulo and Juan José Domínguez-Jiménez (2019). *Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics* (pp. 1426-1438).

www.irma-international.org/chapter/mutation-testing-applied-to-object-oriented-languages/214711

Dict-Based Energy and Latency Efficient Air Indexing Technique for Full Text Search Over Wireless Broadcast Stream

Vikas Goel, Anil Kumar Ahlawat and M N. Gupta (2016). *International Journal of Mobile Computing and Multimedia Communications* (pp. 50-72).

www.irma-international.org/article/dict-based-energy-and-latency-efficient-air-indexing-technique-for-full-text-search-over-wireless-broadcast-stream/175320

Partial Global Indexing for Location-Dependent Query Processing

J. Jayaputera (2007). *Encyclopedia of Mobile Computing and Commerce* (pp. 739-743).

www.irma-international.org/chapter/partial-global-indexing-location-dependent/17166

AudioAuth: Exploring the Design and Usability of a Sound-Based Authentication System

Karim Said, Ravi Kuber and Emma Murphy (2015). *International Journal of Mobile Human Computer Interaction* (pp. 16-34).

www.irma-international.org/article/audioauth/132649