

# Chapter 1

## Fundamental Categories of Artificial Neural Networks

**Arunaben Prahladbhai Gurjar**

*Ganpat University, India*

**Shitalben Bhagubhai Patel**

*Ganpat University, India*

### **ABSTRACT**

*The new era of the world uses artificial intelligence (AI) and machine learning. The combination of AI and machine learning is called artificial neural network (ANN). Artificial neural network can be used as hardware or software-based components. Different topology and learning algorithms are used in artificial neural networks. Artificial neural network works similarly to the functionality of the human nervous system. ANN is working as a nonlinear computing model based on activities performed by human brain such as classification, prediction, decision making, visualization just by considering previous experience. ANN is used to solve complex, hard-to-manage problems by accruing knowledge about the environment. There are different types of artificial neural networks available in machine learning. All types of artificial neural networks work based of mathematical operation and require a set of parameters to get results. This chapter gives overview on the various types of neural networks like feed forward, recurrent, feedback, classification-predication.*

### **CONVOLUTIONAL NEURAL NETWORKS**

A CNN architecture consists of different ConvNet stages. For each degree winding of the following comparison module / Sub sampling order module. While the traditional clustering ConvNet modules conceal the average or most of the groups, this grouping uses LP. Ordinance and that, unless it is to become a parameter, as opposed to subtractive. Subtractive is not division, that is, on the average of the value of each of its immediate surroundings; own extended withdrawn(Lawrence,1997). Finally, as is known, also multi-stage the functions that are used in place of the same rank.

DOI: 10.4018/978-1-6684-2408-7.ch001

One-dimensional convolution is an operation between a vector of weight  $m$  and vector entries seen as a series of  $s$ . The carrier  $m$  is the convolution filter. In particular, we think of it as an insertion phrase and yes  $2 R$  is a unique function value associated with the  $i^{\text{th}}$  word of the phrase. The idea behind the one-dimensional convolution is to take the point product of the vector  $m$  with every  $m$ -gram in the sentence  $s$  another series  $c$ :

$$c_j = \sum_{i=j-m+1}^j s_i \cdot w_{i-j+1} \quad (1)$$

Equation 1 gives rise to two types of convolutions according to the scope of the  $J$ . Lo strait index the type of convolution requires that  $s^3$  give me a series  $c$   $2 R$ s- $m + 1$  with  $j$  going from  $m$  one  $s$ . The broad type of convolution does not have this requirements for  $s$  or  $m$  and give a series of  $c$   $2 R$ s +  $m-1$  where the index  $j$  varies from 1 to  $s + m - 1$ . Enter out of range values where  $i < 1$  where  $i > s$  are considered zero. The result of the narrow convolution is a partial sequence of the result of wide convolution (Cireşan,2011). Two types of one dimensional convolution are illustrated in Fig. 1.

Figure 1. Narrow and wide types of CNN  
 $m=5$




Figure 2. A classic convolutional network

			3	3	2	1	0
			0	0	1	3	1
			3	1	2	2	3
			2	0	0	2	2
			2	0	0	0	1
3.0	3.0	3.0					
3.0	3.0	3.0					
3.0	2.0	3.0					

## Why ConvNets Over Feed-Forward Neural Nets?

An image is just a matrix of values in pixels, isn't it? So why not paste the image (for example a description of 3x3 images into a 9x1 vector) and send it to a multi-part Perceptron for processing?

In the case of high quality imagery (Kalchbrenner,2014), the method may show sufficient scale during class imaging, but is low or poorly organized for complex images with pixel dependencies.

ConvNet is able to efficiently capture spatial and model dependencies in the image through the use of appropriate filters. The architecture is more efficient for the data structure due to the reduced number of parameters involved and the overload of the load. In other words, the network can be formed to better understand image stability.

28 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/fundamental-categories-of-artificial-neural-networks/288948](http://www.igi-global.com/chapter/fundamental-categories-of-artificial-neural-networks/288948)

## Related Content

---

### HONNs with Extreme Learning Machine to Handle Incomplete Datasets

Shuxiang Xu (2013). *Artificial Higher Order Neural Networks for Modeling and Simulation* (pp. 276-292).

[www.irma-international.org/chapter/honns-extreme-learning-machine-handle/71804](http://www.irma-international.org/chapter/honns-extreme-learning-machine-handle/71804)

### Introduction and Application Aspects of Machine Learning for Model Reference Adaptive Control With Polynomial Neurons

Ivo Bukovsky, Peter M. Benes and Martin Vesely (2020). *Artificial Intelligence and Machine Learning Applications in Civil, Mechanical, and Industrial Engineering* (pp. 59-84).

[www.irma-international.org/chapter/introduction-and-application-aspects-of-machine-learning-for-model-reference-adaptive-control-with-polynomial-neurons/238139](http://www.irma-international.org/chapter/introduction-and-application-aspects-of-machine-learning-for-model-reference-adaptive-control-with-polynomial-neurons/238139)

### Optimizing the Production Parameters of Peasant Holdings for Industrial Development in the Digitalization Era

Andrey Tuskov, Anna Goldina, Olga Luzgina and Olga Salnikova (2020). *Avatar-Based Control, Estimation, Communications, and Development of Neuron Multi-Functional Technology Platforms* (pp. 132-151).

[www.irma-international.org/chapter/optimizing-the-production-parameters-of-peasant-holdings-for-industrial-development-in-the-digitalization-era/244790](http://www.irma-international.org/chapter/optimizing-the-production-parameters-of-peasant-holdings-for-industrial-development-in-the-digitalization-era/244790)

### Hybrid System with Artificial Neural Networks and Evolutionary Computation in Civil Engineering

Juan R. Rabunal and Juan Puertas (2006). *Artificial Neural Networks in Real-Life Applications* (pp. 166-187).

[www.irma-international.org/chapter/hybrid-system-artificial-neural-networks/5368](http://www.irma-international.org/chapter/hybrid-system-artificial-neural-networks/5368)

### Artificial Neural Network Research in Online Social Networks

Steven Walczak (2022). *Research Anthology on Artificial Neural Network Applications* (pp. 68-84).

[www.irma-international.org/chapter/artificial-neural-network-research-in-online-social-networks/288951](http://www.irma-international.org/chapter/artificial-neural-network-research-in-online-social-networks/288951)