

# Chapter 3.1

## Deploying Pervasive Technologies

**Juan-Carlos Cano**

*Technical University of Valencia, Spain*

**Carlos Tavares Calafate**

*Technical University of Valencia, Spain*

**Jose Cano**

*Technical University of Valencia, Spain*

**Pietro Manzoni**

*Technical University of Valencia, Spain*

### INTRODUCTION

Communication technologies are currently addressing our daily lives. Internet, fixed-line networks, wireless networks, and sensor technologies are converging, and seamless communication is expected to become widely available. Meanwhile, the miniaturization of devices and the rapid proliferation of handheld devices have paved the path towards pervasive computing and ubiquitous scenarios.

The term *ubiquitous and pervasive computing* refers to making many computing devices available throughout the physical environment, while making them effectively invisible to the user

(Weiser, 1991). Thanks to advances in the devices' processing power, extended battery life, and the proliferation of mobile computing services, the realization of ubiquitous computing has become more apparent, being a major motivation for developing location and context-aware information delivery systems.

Strongly related to ubiquitous computing is *context-aware computing*. In context-aware computing, the applications may change or adapt their functions, information, and user interface depending on the context and the client's profile (Weiser, 1993). Many research centers and industries are actively working on the issues of context-awareness or more generally on ubiqui-

tous computing (Baldauf, Dustdar, & Rosenberg, 2007). In particular, several proposals focus on smart spaces and intelligent environments (Harter, Hopper, Steggeles, Ward, & Webster, 1999; Kindberg et al., 2002; Smart-its, 2007), where it is expected that smart devices all around us will maintain updated information about their locations, the contexts in which they are being used, and relevant data about the users.

Clearly, contextual services represent a milestone in today's mobile computing paradigm, providing timely information anytime, anywhere. Nevertheless, there are still few examples of pervasive computing environments moving out from academic laboratories into our everyday lives. This occurs since pervasive technologies are still premature, and also because it is hard to define what a real pervasive system should be like. Moreover, despite the wide range of services and potential smart applications that can benefit from using such systems, there is still no clear insight about a realistic killer application.

## **BACKGROUND**

Pervasive computing has been in development for more than 15 years. In this section we briefly review some of the most relevant prototypes.

Various companies are already working to extend wireless technologies that will seamlessly connect to other nearby devices. However, despite the wide range of services and potential smart applications that can benefit from using such tools, there is still no clear understanding about a realistic killer. One critical question that still needs to be addressed is the identification of business scenarios that can move ubiquitous computing from academic and research laboratories into our everyday lives.

Tourism was one of the first areas to yield the business application area for the development of such potential applications. To this end, context-aware services combined with content-oriented

applications could exploit wireless technology to provide personalized tours that could guide and assist tourists in museums or historical sites. One of the earlier prototypes of a mobile context-aware tour guide is the Cyberguide project (Abowd et al., 1997). The Cyberguide prototype uses the current location of users to provide visitors with services concerning location and information. For indoor applications, Cyberguide uses infrared technology as a positioning solution. On the other hand, for outdoor applications, they replace the infrared positioning module with a GPS unit. Cyberguide presents an innovative architecture, which mainly focuses on the development of location-aware applications. However, further efforts are needed to improve on context awareness. Systems similar to Cyberguide have also been proposed by other researchers, including the GUIDE (Davies, Mitchell, Cheverst, & Blair, 1998) project proposed at Lancaster University. Cyberguide and GUIDE were influenced by earlier location-aware works such as the PARCTab at Xerox PARC (Want, Hopper, Falcao, & Gibbons, 1992), the InfoPad project at Berkeley (Long, Kooper, Abowd, & Atkeson, 1996), and the Personal Shopping Assistant at AT&T (Asthana, Cravatts, & Krzyzanowski, 1994).

The CoolTown project (Kindberg et al., 2002) at HP Laboratories focuses on building ubiquitous computing systems by embodying Web technologies into the physical environment. The Websign project (Pradhan, Brignone, Cui, McReynolds, & Smith, 2004) is a component of the CoolTown research program which allows users to visualize services related to physical objects of interest. While Websign could be adapted to offer tourist guide services, its intended use is more general, providing user interactions for services associated with physical objects. The Rememberer tool (Fleck et al., 2002) is another interesting approach, which, similarly to the CoolTown project, chooses museums as an environment to implement context-aware applications. Rememberer is a tool that offers visitors of museums services

6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/deploying-pervasive-technologies/37803](http://www.igi-global.com/chapter/deploying-pervasive-technologies/37803)

## Related Content

---

### Evaluating the Impact of DDoS Attacks in Vehicular Ad-Hoc Networks

Kaushik Adhikary, Shashi Bhushan, Sunil Kumar and Kamlesh Dutta (2020). *International Journal of Security and Privacy in Pervasive Computing* (pp. 1-18).

[www.irma-international.org/article/evaluating-the-impact-of-ddos-attacks-in-vehicular-ad-hoc-networks/264446](http://www.irma-international.org/article/evaluating-the-impact-of-ddos-attacks-in-vehicular-ad-hoc-networks/264446)

### An APPsolute Beginner's Guide for Action Research

Reinhard Bauer, Martin Sankofi, Petra Szucsich and Klaus Himpsl-Gutermann (2018). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 1-22).

[www.irma-international.org/article/an-appsolute-beginners-guide-for-action-research/209694](http://www.irma-international.org/article/an-appsolute-beginners-guide-for-action-research/209694)

### Recognizing RFID as a Disruptive Technology

Chin-Boo Soon and Jairo A. Gutiérrez (2010). *Ubiquitous and Pervasive Computing: Concepts, Methodologies, Tools, and Applications* (pp. 1301-1314).

[www.irma-international.org/chapter/recognizing-rfid-disruptive-technology/37851](http://www.irma-international.org/chapter/recognizing-rfid-disruptive-technology/37851)

### The Voice-Enabled Virtual Mouse for Contactless Computing

P. TamilSelvi, S. Keziah, K. G. Sarah Princes and Chola Vendhan (2026). *Ubiquitous Computing for Discrete Event Systems* (pp. 177-222).

[www.irma-international.org/chapter/the-voice-enabled-virtual-mouse-for-contactless-computing/412997](http://www.irma-international.org/chapter/the-voice-enabled-virtual-mouse-for-contactless-computing/412997)

### The Ethical Debate Surrounding RFID

Stephanie Etter, Patricia G. Phillips, Ashli M. Molinero, Susan J. Nestor and Keith LeDonne (2010). *Ubiquitous and Pervasive Computing: Concepts, Methodologies, Tools, and Applications* (pp. 1350-1357).

[www.irma-international.org/chapter/ethical-debate-surrounding-rfid/37854](http://www.irma-international.org/chapter/ethical-debate-surrounding-rfid/37854)