



## **Chapter IX**

# **Applying Strategies to Overcome User Resistance in a Group of Clinical Managers to a Business Software Application: A Case Study**

Barbara Adams, Cyrus Medical Systems, USA

Eta S. Berner, University of Alabama at Birmingham, USA

Joni Rousse Wyatt, Norwood Clinic, USA

## **ABSTRACT**

*User resistance is a common occurrence when new information systems are implemented within health care organizations. Individuals responsible for overseeing implementation of these systems in the health care environment may encounter more resistance than trainers in other environments. It is important to be aware of methods to reduce resistance in end users. Proper training of end users is an important strategy for minimizing resistance. This article reviews the literature on the reasons for user resistance to health care information systems and the implications of this literature for designing training programs. The other principles for reducing resistance—*

*communication, user involvement, strategic use of consultants—are illustrated with a case study involving training clinical managers on business applications. Individuals responsible for health care information system implementations should recognize that end user resistance can lead to system failure and should employ these best practices when embarking on new implementations.*

## INTRODUCTION

Traditionally, health care has lagged significantly behind other industries in the use of information technology (Parton & Glaser, 2002). Until recently, the use of computers in health care primarily has been to automate the business and administrative functions. Today, a variety of pressures are forcing the health care industry to invest more money and effort into using information technology in clinical settings. New legislation to protect privacy and confidentiality of medical information encourages the development of electronic medical records (U.S. Department of Health and Human Services, 2002). Concerns over medical errors have led to an increased interest in clinical decision support systems and computer-based physician order entry (Bates et al., 1999; Leapfrog Group, 2000). These developments will lead to more need for direct use of computers by health care providers who are used to manual processes for the same tasks. In addition, many clinicians now are assuming managerial positions in health care, where they will be expected to use traditional business applications as well (Merry, 1999). Not only are these new managers not used to automating some of these tasks, but, as clinicians, they also have not seen use of the computer as part of their professional role. As a chairman of a clinical department once said, “What do I have a secretary for?”

The reluctance to use the new systems may be perceived as resistance, or, in fact, there may be real resistance to the changes that information technology makes in the clinical work processes (Worthley, 2000). In either case, administrators, information technology personnel, or clinicians charged with promoting the use of information technology in the health care environment may encounter more resistance than is found in other environments; therefore, added to the issues of training end users that are common across a variety of settings, health care project managers also need to be aware of methods to reduce resistance in end users (Kaplan, 1997).

User resistance is a common occurrence when new information systems are implemented within a health care organization. There is also a sizable amount of literature on health care system implementations to explain and give insight into some of the reasons behind this resistance and to suggest strategies for overcoming it (Ash et al., 2000; Jiang et al., 2000; Lauer et al., 2000; Lorenzi &

10 more pages are available in the full version of this document,  
which may be purchased using the "Add to Cart" button on the  
publisher's webpage: [www.igi-global.com/chapter/applying-strategies-overcome-user-resistance/4478](http://www.igi-global.com/chapter/applying-strategies-overcome-user-resistance/4478)

## Related Content

---

### Softly Speaking: National Transformation in a Developing Country

Chun Kwong Han (2012). *International Journal of People-Oriented Programming* (pp. 50-60).  
[www.irma-international.org/article/softly-speaking/94610](http://www.irma-international.org/article/softly-speaking/94610)

### Social Media Tools Adoption and Use by SMES: An Empirical Study

Samuel Fosso Wamba and Lemuria Carter (2014). *Journal of Organizational and End User Computing* (pp. 1-17).  
[www.irma-international.org/article/social-media-tools-adoption-and-use-by-smes/110330](http://www.irma-international.org/article/social-media-tools-adoption-and-use-by-smes/110330)

### Organizational Factors and Information Technology Use: Tying Perceptions of the Organization to Perceptions of IT

Riza Ergun Arsal, Jason Bennett Thatcher, Thomas J. Zagenczyk, D. Harrison McKnight and Manju K. Ahuja (2011). *Organizational and End-User Interactions: New Explorations* (pp. 248-271).  
[www.irma-international.org/chapter/organizational-factors-information-technology-use/53094](http://www.irma-international.org/chapter/organizational-factors-information-technology-use/53094)

### The Changing Demographics: The Diminishing Role of Age and Gender in Computer Usage

Michael B. Knight and J. Michael Pearson (2007). *Contemporary Issues in End User Computing* (pp. 197-215).  
[www.irma-international.org/chapter/changing-demographics-diminishing-role-age/7037](http://www.irma-international.org/chapter/changing-demographics-diminishing-role-age/7037)

### Investigating Technology Commitment in Instant Messaging Application Users

Y. Ken Wang and Pratim Datta (2010). *Journal of Organizational and End User Computing* (pp. 70-94).  
[www.irma-international.org/article/investigating-technology-commitment-instant-messaging/46970](http://www.irma-international.org/article/investigating-technology-commitment-instant-messaging/46970)