

Chapter X

Multi-Agent Systems Integration in Enterprise Environments Using Web Services

Eduardo H. Ramírez

Tecnológico de Monterrey, Mexico

Ramón F. Brena

Tecnológico de Monterrey, Mexico

ABSTRACT

In this paper we present a decoupled architectural approach that allows software agents to interoperate with enterprise systems using Web services. The solution leverages existing technologies and standards in order to reduce the time-to-market and increase the adoption of agent-based applications. We present case studies of applications that have been enhanced by our proposal.

INTRODUCTION

Software agents (Jennings & Wooldridge, 1996) and Web services (W3C, 2003b) have become key research areas for a growing number of organizations and they are expected to bring a new generation of complex distributed software systems (Jennings, 2000). Even if Agent tech-

nology is finding its way little by little into the mainstream, Web services have been adopted much more widely and rapidly (Barry, 2003).

Several authors have pointed out some overlapping areas between agents and Web services semantic capabilities (Hunhs, 2002; Preece & Decker, 2002). However, issues regarding how they may be competing or complementary tech-

nologies remain open (Petrie, 1996). Because of that, research involving agents and Web services is mainly focused on building improved semantics (Dickinson & Wooldridge, 2003; Hendler, 2001), communication languages and interaction protocols (Labrou et al., 1999).

We assume that in order to impact real-world organizations, a greater emphasis should be made on interoperability between agent-based applications and enterprise information systems. Moreover, we believe that the adoption of agent technologies will grow by leveraging existing industry standards and technologies. Therefore the problem we address is an instance of “the legacy software integration problem” (Nwana & Ndumu, 1999; Genesereth & Ketchpel, 1994).

In this work we present a decoupled architectural approach and design principles, called “embedded Web services architecture” (EWSA), that allows agent-based applications to be integrated into enterprise application environments (Peng et al., 1998) using Web services, thus allowing them to interoperate with robust conventional systems such as:

- Web-applications, portals and content management systems (CMS)
- Enterprise resource planning (ERP)
- Manufacturing execution systems (MES)
- Workflow engines and business process management systems (BPMS)

This integration allows agents to publish XML (W3C, 2000) Web services (W3C, 2003b) or standard HTML providing thus a convenient interface for other distributed components. The Web service architecture is widely understood as “a software system” designed to support interoperable machine-to-machine interaction over a network. It has an interface described in a machine-processable format (specifically WSDL (W3C, 2001)). Other systems interact with the Web service in a manner prescribed by its description using SOAP-messages (W3C, 2003a), typically

conveyed using HTTP with an XML (W3C, 2000) serialization in conjunction with other Web-related standards” (W3C, 2003b).

Regarding the external behavior of the agent based application, our approach fits into the design paradigm identified as service oriented architecture (SOA). The SOA foundation ideas were introduced by Arsajani (Arsanjani, 2001); he defines SOA as: “the architectural style that supports loosely coupled services to enable business flexibility in an interoperable, technology-agnostic manner.” SOA consists of a composite set of business-aligned services that support a flexible and dynamically re-configurable end-to-end business processes realization using interface based service descriptions (Borges et al., 2004).

This paper also discusses the kind of agent-based applications we have found to be suitable for this approach and the nature of Web Services that agents can provide. The rest of the paper is organized as follows. In the next section, we provide an overview of our solution approach. Specifically, we discuss the proposed embedded Web server architecture for integrating agent-based applications and enterprise applications and its implementation. Then, we discuss its evaluation and application to some example domains. Finally, the paper concludes with some expected business results.

SOLUTION OVERVIEW

Instead of making an agent-based application look “different” compared to other applications from the outside, which is indeed a “religious” point of view frequent in the agent research community, we intend to hide the *agentness* of a group of agents from the outside.

We contend that agents should solve problems for which they are well suited for, and should relate to other software components just as another software component. This is especially true when a set of technologies for gluing software compo-

14 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/multi-agent-systems-integration-enterprise/4998

Related Content

Luxury via E-commerce: A Prospective Indian Market with Dickey Customers

Chandan Maheshkar (2017). *International Journal of E-Business Research* (pp. 82-95).

www.irma-international.org/article/luxury-via-e-commerce/169846

Overview of Emerging Web 2.0-Based Business Models and Web 2.0 Applications in Businesses: An Ecological Perspective

In Lee (2011). *International Journal of E-Business Research* (pp. 1-16).

www.irma-international.org/article/overview-emerging-web-based-business/59911

The Internet as a Complementary Resource for SMEs: The Interaction Effect of Strategic Assets and the Internet

Frank Schlemmer and Brian Webb (2009). *International Journal of E-Business Research* (pp. 1-24).

www.irma-international.org/article/internet-complementary-resource-smes/1920

Semantic Web-Enabled Protocol Mediation for the Logistics Domain

Oscar Corcho, Silvestre Losada and Richard Benjamins (2009). *Semantic Web for Business: Cases and Applications* (pp. 65-82).

www.irma-international.org/chapter/semantic-web-enabled-protocol-mediation/28863

A Secure Mobile Payment Framework in MANET Environment

Shaik Shakeel Ahamad, V. N. Sastry and Siba K. Udgata (2013). *International Journal of E-Business Research* (pp. 54-84).

www.irma-international.org/article/secure-mobile-payment-framework-manet/75461